

AD-A126 457

MARKET VALUE ESTIMATION MODELS FOR MARINE SURFACE
VESSELS WITH THE USE OF MULTIPLE REGRESSION ANALYSIS
(U) NAVAL POSTGRADUATE SCHOOL MONTEREY CA 1 D JOHNS


1/2


UNCLASSIFIED

DEC 82

F/G 6/7

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

ADA 126457

DTIC FILE COPY

2

NAVAL POSTGRADUATE SCHOOL

Monterey, California



DTIC
ELECTE
S APR 6 1983 D
B

THESIS

MARKET VALUE ESTIMATION MODELS
FOR MARINE SURFACE VESSELS
WITH THE USE OF MULTIPLE REGRESSION ANALYSIS

by

Thomas D. Johns

December 1982

Thesis Advisors:

J. Fremgen
D. Boger

Approved for public release; distribution unlimited

83 04 06 080

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO. AD-A126 457	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Market Value Estimation Models for Marine Surface Vessels with the Use of Multiple Regression Analysis		5. TYPE OF REPORT & PERIOD COVERED Master's Thesis December 1982
7. AUTHOR(s) Thomas D. Johns		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
13. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE December 1982
		13. NUMBER OF PAGES 104
		14. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Coast Guard Yacht Estimation Market Value Tug Property Fair Market Value Barge Marine Assets Ship Tanker Vessel Boat Search and Rescue		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) In order to determine more scientifically the value of property assisted by the Coast Guard in search and rescue incidents, regression analysis was conducted on various characteristics of vessels in order to estimate their fair market values. Data for this research were collected from the U.S. Maritime Administration, the U.S. Coast Guard, and numerous oil and steel companies. Mathematical models were developed		

DD FORM 1473

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-010-0001

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

for merchant ships, tugs, fishing vessels, petroleum-carrying ships, and petroleum-carrying barges. Little correlation could be found in the analysis of yachts. To estimate the value of yachts as well as numerous other varieties of boats, it is prudent to utilize a commercially developed data base. Use of the models along with the commercial data base should provide value estimates for approximately 90 percent of the future Coast Guard search and rescue incidents. The search and rescue data base for previous years cannot be corrected because of the precision required in the measurement of vessel attributes and the categorization of characteristics in the Coast Guard assistance reports.

Accession For	
NTIS GRA&I	<input checked="checked" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	



Approved for public release; distribution unlimited

Market Value Estimation Models
for Marine Surface Vessels
with the Use of Multiple Regression Analysis

by

Thomas D. Johns
Lieutenant, United States Coast Guard
B.S., United States Coast Guard Academy, 1974

Submitted in partial fulfillment of the
requirements for the degree of

MASTER OF SCIENCE IN MANAGEMENT

from the

NAVAL POSTGRADUATE SCHOOL
December 1982

Author:

Thomas D. Johns

Approved by:

Don C. Boyer
Thesis Co-advisor

W. L. F. F. F. F.
Thesis Co-advisor

Chairman, Department of Administrative Sciences

Dean of Information and Policy Sciences

ABSTRACT

↓ In order to determine more scientifically the value of property assisted by the Coast Guard in search and rescue incidents, regression analysis was conducted on various characteristics of vessels in order to estimate their fair market values. Data for this research were collected from the U.S. Maritime Administration, the U.S. Coast Guard, and numerous oil and steel companies. Mathematical models were developed for merchant ships, tugs, fishing vessels, petroleum-carrying ships, and petroleum-carrying barges. Little correlation could be found in the analysis of yachts. To estimate the value of yachts as well as numerous other varieties of boats, it is prudent to utilize a commercially developed data base. Use of the models along with the commercial data base should provide value estimates for approximately 90[%] percent of the future Coast Guard search and rescue incidents. The search and rescue data base for previous years cannot be corrected because of the precision required in the measurement of vessel attributes and the categorization of characteristics in the Coast Guard assistance reports. ↙

TABLE OF CONTENTS

I.	INTRODUCTION	13
A.	IMPORTANCE OF THE "VALUE OF PROPERTY" STATISTIC	13
B.	MEASURES OF VALUE	15
C.	DATA COLLECTION	16
D.	SYNOPSIS OF FUTURE CHAPTERS	17
II.	THE SEARCH AND RESCUE SYSTEM	19
A.	THE VALUE OF PROPERTY ASSISTED	20
B.	THE SEARCH AND RESCUE DATA SYSTEM	21
C.	COLLECTION OF PROPERTY VALUES	22
III.	METHOD OF ANALYSIS	24
A.	SCOPE	24
B.	DATA SOURCES	25
C.	SORTING AND ADJUSTMENT OF DATA	30
D.	POTENTIAL ERRORS	31
	1. Consideration of Materiel Condition	31
	2. The Use of Shipbuilding Indexes	32
	3. Raw Data from Documentation Files	32
	4. Sampling Error	34
	5. Other Nonsampling Errors	34
IV.	MODEL FORMULATION	36
A.	USE OF THE STATISTICAL ANALYSIS SYSTEM (SAS)	36
B.	REGRESSION ANALYSIS OF NONPETROLEUM-CARRYING VESSELS	36

1.	Stepwise Regression	36
2.	General Linear Model (GLM) Regression . .	38
3.	Categorical Variables	39
C.	REGRESSION ANALYSIS FOR PETROLEUM-CARRYING VESSELS	40
V.	FINAL MODELS	42
A.	NONPETROLEUM-CARRYING VESSELS	42
1.	Merchant Ships	42
2.	Tugs	44
3.	Fishing Vessels	45
4.	Yachts	45
B.	PETROLEUM-CARRYING VESSELS	46
1.	Tank Ships	46
2.	Tank Barges	48
VI.	ALTERNATIVES FOR IMPLEMENTING VALUE ESTIMATION . .	50
A.	VALUATION PROCESS WITH MODELS AND PRICE GUIDES	51
B.	VALUATION PROCESS WITH MODELS AND INTERACTIVE BUCFAX	53
C.	VALUATION PROCESS WITH MODELS AND BATCH BUCFAX	54
VII.	RECOMMENDATIONS AND SUMMARY	57
A.	RECOMMENDED ALTERNATIVE	57
B.	FURTHER STUDY	57
C.	REVISION OF VESSEL DOCUMENTATION DATA COLLECTION	58
D.	REVISION OF EQUATIONS	59
E.	SUMMARY	59
APPENDIX A.	SAR INCIDENT SUMMARY	61

APPENDIX B.	SAR ASSISTANCE REPORT	62
APPENDIX C.	SAR INCIDENT AUXILIARY REPORT	63
APPENDIX D.	NUMBER OF SAR CASES AND PROPERTY VALUE ASSISTED IN FY79 AND FY80	64
APPENDIX E.	INDEX OF ESTIMATED SHIPBUILDING COSTS IN THE UNITED STATES	68
APPENDIX F.	RAW DATA FOR SHIPS	69
APPENDIX G.	GENERAL LINEAR MODEL FOR SHIPS	71
APPENDIX H.	REGRESSION PLOT FOR SHIPS	72
APPENDIX I.	RESIDUAL PLOT FOR SHIPS	73
APPENDIX J.	RAW DATA FOR TUGS	74
APPENDIX K.	GENERAL LINEAR MODEL FOR TUGS	75
APPENDIX L.	REGRESSION PLOT FOR TUGS	76
APPENDIX M.	RESIDUAL PLOT FOR TUGS	77
APPENDIX N.	RAW DATA FOR FISHING VESSELS	78
APPENDIX O.	GENERAL LINEAR MODEL FOR FISHING VESSELS .	79
APPENDIX P.	REGRESSION PLOT FOR FISHING VESSELS . . .	80
APPENDIX Q.	RESIDUAL PLOT FOR FISHING VESSELS	81
APPENDIX R.	RAW DATA FOR YACHTS	82
APPENDIX S.	STEPWISE REGRESSION FOR YACHTS	83
APPENDIX T.	RAW DATA FOR TANK SHIPS	85
APPENDIX U.	GENERAL LINEAR MODEL FOR TANK SHIPS . . .	86
APPENDIX V.	REGRESSION PLOT FOR TANK SHIPS	87
APPENDIX W.	RESIDUAL PLOT FOR TANK SHIPS	88
APPENDIX X.	RAW DATA FOR TANK BARGES	89
APPENDIX Y.	GENERAL LINEAR MODEL FOR TANK BARGES . . .	90
APPENDIX Z.	REGRESSION PLOT FOR TANK BARGES	91

APPENDIX AA.	RESIDUAL PLOT FOR TANK BARGES	92
APPENDIX BB.	DISTRIBUTION LIST FOR BUC PRICE GUIDES . .	93
APPENDIX CC.	COST CALCULATIONS FOR BUC PRICE GUIDES . .	94
APPENDIX DD.	DATA TO BE COLLECTED	95
APPENDIX EE.	ITEMS FOR INCLUSION IN DATA GATHERING OF FISHING VESSELS	97
LIST OF REFERENCES		99
BIBLIOGRAPHY		102
INITIAL DISTRIBUTION LIST		103

LIST OF TABLES

1. Number of Hull Types in Data Sample 40
2. Abbreviations for Variables 43

ACKNOWLEDGEMENTS

There are many people who contributed to this thesis in a variety of ways. Each person's contribution was unique and extremely important to the synergistic completion of this study.

First, I would like to express my appreciation to my advisors, Professor James M. Fremgen and Assistant Professor Dan C. Boger. Professor Fremgen provided insight from an accountant's perspective, thought-provoking questions, and assistance in conveying the precise thought on paper. Professor Boger was essential in his advice concerning data collection, regression analysis, and statistical package selection along with the proper expression of statistical results. I would like to thank both of them for the time which they spent assisting and, of equal importance, their cooperative and helpful attitude.

Also, of critical importance to this study was Lieutenant Timothy Hylton of the Search and Rescue Branch of Coast Guard Headquarters, who introduced the problem and subsequently supported me with data, publications, and problem analysis. Also in the Search and Rescue Branch was Mr. Al Thuring, who provided insight and explanation of the importance of the value of property as a workload measure. At the Merchant Vessel Documentation Branch, Mrs. Eleanor P. Fischer and her

staff provided essential assistance by extracting data from the Coast Guard data base on vessels sold after 1979. I would also like to thank the entire staff of the Vessel Documentation Branch of the Coast Guard Marine Safety Office in San Francisco, California, for their cordiality and cooperation during my data collection efforts.

In the private sector, I would like to express my thanks to Mr. Wayne Voskamp of Exxon Corporation for his cooperation and direction on the matter of tanker values and for providing data to assist in that investigation. Also of Exxon, Mr. Caldwell provided direction concerning light-weight tonnage and additional data to assist in estimating tanker values.

I would also like to express my sincere appreciation to Mr. Asa Roberts of Gulf Oil Corporation for his cooperative attitude in addition to providing data and information concerning Taiwan scrap values and vessel transfer costs. Also of Gulf Oil Corporation, Mr. Gary Kessler cordially provided insight concerning premiums on particular sizes of tankers which are sold.

Mr. Jack Malkin of the U.S. Maritime Administration provided crucial data concerning the merchant vessel War Risk Insurance program and provided information concerning the administrative mechanics of that program.

In addition, I would like to express my appreciation to the following individuals who courteously took the time to

provide necessary data upon which this entire study is based: Mr. Manning Brown of the Ingalls Shipbuilding Division of Litton Industries, Mr. R. D. Post of Todd Shipyards Corporation, Mr. Richard Connor of Bethlehem Corporation, Mr. Brian Dorsch of Chevron U.S.A. Incorporated, Captain W. Guy of Union Oil Company of California, Mr. Jay Stevak of Cities Service Company, Mr. Mark Oliver and Mr. Roger Wood of Getty Oil Company, Mr. Peter Overski of Shell Oil Company, Mr. Bruce Kennedy of Scallop Petroleum Corporation, Captain Peter Selenikas of Amerada Hess Corporation, Mr. Raffael Vermeir of Conoco Incorporated, and Mr. Charles Bysarovich of Standard Oil Company (Indiana).

I would also like to acknowledge the assistance of the W. R. Church Computer Center staff, especially Mr. Edwin Donnellan, for their support which made this project possible.

In closing, I must express my sincere appreciation to my wife, Ellen, from whom I received the encouragement, support, and assistance necessary for a project of this size and duration.

I. INTRODUCTION

The study of vessel values is an extremely complex topic which transcends the disciplines of economics, accounting, naval engineering, mathematics, and management information systems. The principle of supply and demand coupled with a vessel's attributes are probably the most influential factors determining value. The study is further complicated by the variety of vessels within a particular category. For example, within the category of "cargo ships" are a number of types used for specific purposes such as refrigerated cargo, containerized cargo, bulk cargo, general cargo, etc. Each type of vessel has certain machinery and equipment which is peculiar to its task. Thus, the complexity of the valuation problem rapidly expands as one scrutinizes the elements of supply and demand and subsequently investigates specific categories and types of vessels.

A. IMPORTANCE OF THE "VALUE OF PROPERTY" STATISTIC

The value of property which the Coast Guard (CG) assists annually is one of the major workload measures submitted to the Department of Transportation, Office of Management and Budget, and Congress to help determine as well as justify the budget. In Congress, this measure is extremely visible,

being presented twice in authorization hearings as well as appropriation hearings.

Recent years have seen an increased emphasis on reducing the nation's deficit spending. This has led to a scrutiny of all existing federal agencies and their programs to insure that efficient and effective utilization is made of each tax dollar. Due to this scrutiny, it has been noted that the statistic of "value of property assisted" has experienced drastic fluctuations from year to year. On the surface, it is unknown whether these fluctuations are actually due to shifts in the types of assets assisted or whether the valuation process presently in use is in error. In either instance, these fluctuations have raised questions as to the source and validity of this workload measure.

Currently, the value of property assisted is a summation of the estimated value of property involved in each search and rescue (SAR) incident. In marine incidents, the estimate is derived from the vessel's operator, who provides a "best guess" as to the market value of the craft. If the operator is also the owner, he or she may provide the purchase price or the insured value--neither of which necessarily provides an accurate estimate. If the vessel is unoccupied, the senior Coast Guard person on scene normally provides an estimate of the value. In all of the above situations, financial estimates are being made by persons who probably are unfamiliar with current market values of

marine assets. Therefore, a study is required to determine if a more accurate method of estimating market values can be derived.

B. MEASURES OF VALUE

One of the initial determinations which must be agreed upon is the specific measure which should be used when quantifying "value." Some common alternative measures may include terms such as book value, net realizable value, current replacement cost, or fair market value.

A possible misconception concerning book value is that the undepreciated cost or book value of an asset is congruent to its fair market value. Book value, using historical cost, is a measure of market conditions at some point in the past rather than at present. Additionally, it must be understood that there exists a variety of depreciation methods, each of which results in a different book value for a particular asset after a given period of time. Any one of these methods may approximate the market value of an asset--depending on the method chosen and the characteristics of the asset. There, however, is no guarantee that any relationship between book value and market value will exist.

Net realizable value indicates the amount realized in the sale of an asset less any cost of preparing the asset for sale or cost required to enter the sale (e.g. brokerage fee) [Ref. 1: p. 9-6]. Depending on whether or not there

are any preparation or brokerage costs, the net realizable value may be equivalent to the exit sales price.

The current replacement cost of an asset is the amount that would be paid in order to acquire that item under normal market conditions (i.e. no hoarding, abnormally large inventories, or forced transactions) [Ref. 1: p. 9-6] and is commonly the insured value of an asset. This is not a good measure because the exit sales price and the replacement cost will not be equivalent if a brokerage or dealer fee is involved in the transaction.

The term fair market value or, simply, market value may represent either the exit selling price or the entry purchase price. These two values will be the same only in the circumstance where there is no middleman or other fee involved between the buyer and seller. In this thesis, fair market value is defined as selling price.

For the purposes of this study, "value of property" will be defined as the fair market value (exit selling price). This is the best available approximation of the "value" of property which the Coast Guard saves or assists in its search and rescue efforts, because it measures the financial loss that property owners would incur if Coast Guard assistance were not available.

C. DATA COLLECTION

Intensive investigation led to three main sources of data concerning fair market values. First, the U.S. Maritime

Administration, acting under the 1936 Merchant Marine Act, conducted a valuation of U.S. owned or registered commercial vessels in 1976 [Ref. 2]. This valuation closely approximates the fair market value of those vessels. Second, the Coast Guard collects sales prices when documented vessels change ownership. These figures are available at Coast Guard documentation offices where the transfer of documentation is recorded. Third, various shipbuilders and ship-owners possess statistics on lightweight* tonnage, which is highly deterministic of a petroleum-carrying vessel's value.

D. SYNOPSIS OF FUTURE CHAPTERS

Chapter II presents the legal provision under which the Coast Guard operates its search and rescue system, describes the data collection process for that system, and expounds on the use of the "value of property" statistic. Chapter III describes the scope of this study, the methods by which data were collected, and explains the possible errors involved. Chapter IV describes the regression procedure used in analyzing the aforementioned data. Chapter V presents the final mathematical models. Chapter VI offers three alternatives by which to estimate the value of vessels, and Chapter VII presents the author's recommendations for implementing the

*Lightweight tonnage is also known as light tonnage or light displacement. It is the weight of the ship without any cargo, stores, fuel, passengers, or crew and approximates the amount of scrappable steel.

selected alternative, recommendations for further study, and
a brief summary.

II. THE SEARCH AND RESCUE SYSTEM

The U.S. Coast Guard is mandated by law (Title 14, United States Code) to "develop, establish, maintain and operate... rescue facilities for the promotion of safety on, under, and over the high seas and waters subject to the jurisdiction of the United States..." [Ref. 3: sec. 2]. In addition, the Coast Guard "...shall administer laws and promulgate and enforce regulations for the promotion of safety of life and property..." [Ref. 3: sec. 2] and is permitted to "...render aid to persons and protect property at any time and at any place at which Coast Guard facilities and personnel are available..." [Ref. 3: sec. 88]. In order to perform its mission mandated by these laws, the Coast Guard has established various facilities and resources which are strategically located throughout the United States and its territories. In addition, a complex communications network which includes various Department of Defense commands, Federal Aviation Administration facilities, and numerous civilian agencies has been installed. Through this network, the Coast Guard is informed of, responds to, and coordinates search and rescue (SAR) activities of available vehicles and personnel.

A. THE VALUE OF PROPERTY ASSISTED

In order to maintain its facilities and resources, an adequate budget must be established by the Coast Guard for maintenance, personnel support and training, improvement to existing facilities, and new acquisitions. In order to compile and justify such a budget, the supporting statistics must accurately reflect the level of activity and output of the organization. One such statistic utilized in the budget-making process is the value of property assisted (i.e. towed, fires extinguished, dewatered, escorted, etc.) by the Coast Guard on an annual basis. Such property may include various categories of vessels as well as aircraft, land vehicles, shoreside structures (such as piers and warehouses), submersible vehicles, and offshore structures such as drilling rigs [Ref. 4: pp. 1-6-7 to 1-6-8]. In fiscal year 1980, the Coast Guard responded to 73,345 total incidents, 93 percent of which involved property. Of those incidents which did include property, 94 percent involved some type of watercraft [Ref. 5].

The figure of total value of property assisted is used in budget submissions to the Department of Transportation (DOT), the Office of Management and Budget (OMB), and Congress. It constitutes one of approximately seven major workload measures of Coast Guard operating programs. As such, it is utilized as an activity measure for the entire organization rather than exclusively for the SAR program. The

measure is visualized as a benefit to the United States by DOT, OMB, and Congress but is most visible in testimony at both Congressional authorization and appropriation hearings. [Ref. 6]

B. THE SEARCH AND RESCUE DATA SYSTEM

The manner in which data are collected for each SAR incident is via the Search and Rescue Data System, which collects information concerning numerous aspects of each case. An example of the nature and type of information collected is the length and primary usage of the distressed unit, the incident location, the type of responding resource, and the value of property which is assisted or lost. [Ref. 4: pp. 1-6-3 to 1-6-17e]

Upon the prosecution of an incident, each responding unit prepares a worksheet entitled the "SAR Incident Summary Report" (See Appendix A). Upon termination or suspension of a case, the information collected is encoded and transferred to the "SAR Assistance Report" [Ref. 4: pp. 1-2-1 to 1-2-2] (See Appendix B). When Coast Guard Auxiliarists are involved, the Auxiliarist completes the equivalent to the aforementioned worksheet entitled the "SAR Incident Auxiliary Report," which contains essentially the same information (See Appendix C). This report is normally forwarded to the operational commander for translation into the SAR Assistance Report [Ref. 4: p. 1-4-1]. Once the SAR Assistance Report is

completed, it is forwarded via the chain of command to the Coast Guard district office which exercises administrative control over the originating unit. At this hierarchical level, the report enters the central data base, located in Washington D.C., by means of key to disk or Automated Data Processing (ADP) [Ref. 4: p. 1-5-2].

C. COLLECTION OF PROPERTY VALUES

The "value of property" portion of the SAR Incident Summary Report (i.e. worksheet) is normally ascertained by requesting the operator of the vessel to estimate the value of that property. Many times the operator is also the owner and is equipped with the best available information concerning the asset's value, perhaps the purchase price of the vessel or the amount for which it is insured. Even though this is the best available information, it does not necessarily follow that the estimate is an accurate valuation. In some instances, the operator may not be the owner, in which case the former will provide a "best guess" as to the craft's financial worth and may introduce additional error. In a few incidents, the assisted vessel is unoccupied, in which case the normal procedure is for the senior Coast Guard person on the scene to provide a dollar estimate.

In the above situations, financial valuations are being made by persons who may well be unfamiliar with current market values of marine assets. Such cases result in erroneous

estimations being submitted to the SAR data system. For example, in both fiscal year (FY) 1979 and 1980 the Coast Guard assisted exactly 103 towing vessels within the sixty-six to one hundred foot length category. However, the value associated with those vessels in FY79 was \$82,122,000, as opposed to \$40,728,000 for the following fiscal year [Ref. 7] (See Appendix D). Although it may be possible that these two figures could be accurate for each year, particularly if all tugs assisted in FY80 were older and smaller than those assisted in FY79, such an occurrence is not probable. It is more believable that the value difference is due largely to the estimation technique which is used to collect data. Therefore, an investigation is required to determine if a more scientific approach can be developed to estimate the worth of assets more closely and to determine whether or not the present data base can be corrected.

III. METHOD OF ANALYSIS

A. SCOPE

The complexity of a financial analysis of the many types and varieties of property assisted by the Coast Guard is overwhelming. Therefore, restrictions must be placed so that an analysis may be conducted within a manageable arena. The first restriction is that of analyzing vessels only. As previously stated, 94 percent of all properties assisted in FY80 were marine vehicles. To expand this study beyond these limits would cause a rapid increase in the variety of the assets (e.g. a fishing pier vs. a liquified natural gas terminal). Therefore, the scope of this investigation will encompass only marine surface craft.

The second restriction pertains to cargo aboard the vessels. The value of property which enters the SAR system data base is inclusive of cargo [Ref. 4: p. 1-6-9]. Due to the numerous types of commodities which are shipped via water transportation, both nationally and internationally, and the rapidly changing market prices for such goods, the determination has been made to exclude cargo valuation from this study. Cargo should not be disregarded in the final estimate, however, because it may be significant in value, even to the point that its value exceeds that of the vehicle within which it is carried [Ref. 8]. In addition, fuel has

been excluded because of varying tank capacities and fluctuating petroleum prices. The scope of this investigation then is limited to surface vessels with any attached machinery, equipment, electronics gear, and accommodation furnishings but excluding any cargo or fuel.

B. DATA SOURCES

Research into the valuation problem was initiated through attempts to locate data concerning sales or market prices of boats, ships, barges, tugs, etc. A check of six state boating registration agencies indicated that only one (Maryland) collected information as to the sale price of a boat upon transfer of registration and title. However, in order to extract such information from Maryland's computerized data base, reprogramming was required at an associated cost of approximately \$3,000. Therefore, this source of information was excluded as a possibility. A computer search was also conducted of the Transportation Research Information Service (TRIS), which was developed by the U.S. Department of Transportation and the National Science Foundation Transportation Research Board. This search resulted in numerous references to the shipbuilding industry and its associated costs but failed to produce information concerning fair market values of either ships or boats.

Inquiries were also made of various maritime associations, shipowners, and marine insurers. Most who replied

indicated that no statistics of such a nature were available. However, one of the respondents, Exxon Company, provided additional insight with respect to the economics of petroleum-carrying tank vessels (i.e. including barges). Due to the "oil glut" presently being experienced in the United States, the petroleum transportation system is being underutilized. Thus, an overcapacity has resulted and, in turn, has reduced the market price of petroleum-carrying vessels to the realizable value of their scrap steel. For example, the Motor Vessel EXXON FLORENCE was recently sold in Taiwan for its scrap value of \$920,000 [Ref. 9]. The U.S. Maritime Administration had valued the ship at \$1,270,000 [Ref. 2] in 1976; this translates into \$2,096,678 in 1982 dollars [Ref. 10]. This resulted in a decrease of \$1,176,678 or 56 percent of the current-dollar appraised value. This phenomenon holds true for all petroleum-carrying tankers, with the exception of those in the 30,000 to 100,000 deadweight* ton range built after 1970 [Ref. 12].

Further inquiries also led to a ship valuation process managed by the U.S. Maritime Administration. In accordance with Title XII of the Merchant Marine Act of 1936 [Ref. 13: sec. 1289], the Maritime Administration manages the War Risk

*Deadweight tonnage (summer) is the actual weight of the vessel in long tons (2240 pounds), loaded with cargo, stores, fuel, passengers, and crew to her maximum summer loadline [Ref. 11].

Insurance program for vessels owned or controlled by U.S. citizens [Ref. 14]. In order to execute this responsibility, the Maritime Administration collects several independent appraisals for ships, tugs, and barges, normally for one vessel in each class. These appraisals are then combined with a confidential formula which originated in the U.S. General Accounting Office (GAO). By means of combining the appraisals with the formula, an appraised market value for each vessel in each class is reached. Sister ships are then valued with minor, if any, adjustments on the lead ship. [Ref. 15]

The results of this process were published in the Federal Register in January of 1976 [Ref. 2]. This list was cross-referenced with Merchant Vessels of the United States (CG-408) [Refs. 16 and 17] in order to determine each vessel's characteristics. The characteristics which were chosen to be extracted were gross tonnage*, year built, beam, length overall, hull material, and horsepower. Because of the economics in pricing petroleum-carrying vessels, tankers were not included in the sample. Two criteria which were chosen

*Gross tonnage is basically "the capacity in cubic feet of the spaces within the vessel's hull, and of the enclosed spaces above the deck available for cargo, stores, passengers, and crew...divided by 100" [Ref. 11]. Gross tonnage is measured according to the law of the nation with which the ship is registered. Variations among countries may occur due to the inclusion or exception of particular spaces. Thus, gross tonnage could be different for a certain vessel depending on its flag.

were that the independent variables (i.e. those characteristics listed above) be available in such places as Lloyd's Register of Ships, Merchant Vessels of the United States, or state boating registration files and that the chosen characteristic closely correlated with value. The first of the criteria was chosen to facilitate estimating a vessel's value in such instances as when an overdue boat remains unlocated, a vessel is lost at sea, or an operator is unsure of a specific characteristic.

It may be argued that the materiel condition of a vessel impacts significantly upon its worth. This is a valid point. However, not only are data on materiel condition not available but such data would also reflect subjective evaluation, which would vary widely among individuals. This topic will be discussed in further detail later in this chapter under the heading of "potential errors."

Another source of data is the Coast Guard vessel documentation system. When a vessel's documentation is transferred, the bill of sale is presented to the Coast Guard Documentation Office where the selling price is recorded along with the new name. This revised information is then forwarded to Coast Guard Headquarters in Washington D.C. for update of the merchant vessel documentation data base. The transfer price, however, is not forwarded and is, therefore, only manually accessible at the local documentation office. A manual examination of documentation records was conducted

at the Documentation Branch of the Coast Guard Marine Safety Office in San Francisco, California. Vessels which had changed ownership in the past five years were selected; however, it was found that numerous transfers indicated an extremely low sale price (e.g. \$5 or \$10). Any such price which appeared not to be a "reasonable" value of the craft was disregarded. Finally, a data sample of 154 non-tank vessel transactions was extracted. In addition to the vessel's new name and documentation number, the year of sale and age at time of sale were recorded. Again, this list required cross referencing with Merchant Vessels of the United States (CG-408) [Refs. 16 and 17]. However, a problem arose in that the 1979 edition is the latest in print. Since almost one half of the recorded transactions had occurred after 1979, the vessels could not be referenced by their new names. The most efficient method of determining the needed characteristics for each craft was to identify it by documentation number in the headquarters' data base. With the assistance of the Merchant Documentation Branch, the recent transfers were successfully extracted and their respective attributes identified.

Another source of information is the BUC Used Boat Price Guide (Volumes I and II) and the BUC New Boat Price Guide. These three volumes contain market prices for most domestic and some foreign boats manufactured from 1905 through 1982. The data for these boats have been compiled over an eighteen

year period from information provided by both brokers and dealers [Ref. 18]. There are fifty-five types of boats covered--ranging from trawlers and schooners to jet-ski boats and canoes. In addition to the commonly found cabin cruisers and sailboats, the publication lists such varieties as airboats, kayaks, hovercraft, sport fishing boats, row-boats, houseboats, and various custom-built models. Although boats are listed by manufacturer, the index enables entry via use of the model name and length. Also useful in determining the price are such items as top (e.g. flying bridge or sloop), type of rig (e.g. ketch or yawl), the boat type (e.g. jon or runabout), the hull material, and the type and horsepower of the boat's engine. The price guides also provide for geographic and materiel condition price adjustments. The use of derived tables can result in domestic U.S. price changes of up to 60 percent of the BUC published prices [Ref. 19]. Unfortunately, for copyright protection, the publisher of the above publications has introduced a number of fictitious boats into the output listing [Ref. 20]. Therefore, these books were not utilized as a source of data for model development.

C. SORTING AND ADJUSTMENT OF DATA

After each transaction was recorded and all applicable characteristics of each vessel were referenced, the data were sorted into seven categories: freight barges, tugs,

yachts, fishing vessels, sailing vessels, passenger vessels, and merchant cargo ships. The categories of sailing vessels, freight barges, and passenger vessels resulted in only seven, eight, and thirteen transactions respectively. These were considered to be insufficient samples from which to develop mathematical models. No models were attempted for these categories.

After sorting, each transaction price was converted into 1982 current dollars by use of shipbuilding indexes developed by the U.S. Maritime Administration [Ref. 10]. Although the indexes are for shipbuilding costs, they constitute the best and most reasonable index presently available for revising sales prices (See Appendix E). The U.S. Department of Labor, Bureau of Labor Statistics does publish an index for various categories of boatbuilding and shipbuilding [Ref. 21: p. 41]. However, the index for these categories commenced in 1981 and, therefore, could not be used in this study because a majority of the recorded transactions occurred prior to that year.

D. POTENTIAL ERRORS

1. Consideration of Materiel Condition

As previously stated, the vessel's state of repair is not considered herein because of subjective evaluation. This omission will probably introduce error into the developed models, since it is apparent that a vessel whose

hull, machinery, electronics, and living spaces were in good repair would realize more dollars on the market than one which had been neglected with respect to maintenance and required repairs or possibly shipyard overhaul. There are no data available to indicate the magnitude of such error.

2. The Use of Shipbuilding Indexes

The index employed in order to update the sale price was developed from the shipbuilding costs of major U.S. shipbuilders such as Todd, Ingalls, American, etc. [Ref. 22]. The potential error introduced here is twofold. First, the costs are derived from large corporations (i.e. large with respect to the shipbuilding industry). Thus, it is possible that they do not accurately reflect the cost associated with small shipyards and boatbuilders. Second, the indexes reflect costs experienced by the companies instead of selling prices or fair market values. Although they are probably closely related, there is no guarantee that the indexes for costs and for sales prices parallel each other and that their ratios of change from year to year are the same. Thus, the use of these indexes may introduce additional errors into the adjusted data.

3. Raw Data from Documentation Files

The raw data extracted from the Coast Guard documentation files in San Francisco, California may provide biases in two respects. First, a geographical adjustment

in sales price brought about by the economic factors of supply and demand may be required. Demand will be determined by such variables as the climate, bodies of water, type of fish, affluence of the population, etc., all of which vary according to geographical area. Supply is strictly a function of the number of boats of a particular style, condition, characteristic, and capability. For example, the actual cash value of an offshore sport fisherman would be greater on the Outer Banks of North Carolina than in the Upper Chesapeake Bay region, where it would be of limited or no use. It is further hypothesized that the larger the vessel, the less influence geographical location plays in its value. This occurs because the relative cost of moving the larger vessel from point to point is lower than moving the smaller vessel. To illustrate this hypothesis, a 600-foot general cargo ship might realize the same price regardless of its domestic location whereas the value of a 30-foot yawl would vary drastically according to the above supply and demand criteria.

A second cause of error in the Coast Guard documentation files is the source of the original information. There is no guarantee that the bill of sale which is presented to the documentation clerk accurately reflects the value of the transaction. Instances which may occur include unrecorded cash transfers, assumptions of mortgages, and additional trading of goods. Although the author recorded

only "reasonable" amounts as raw data, this criterion is nevertheless subjective and is not an absolute control against false information.

4. Sampling Error

Sampling error may have been introduced to the ship model because sample data were taken exclusively from U.S. owned or registered ships. Since the Coast Guard assists ships from all nations, the selected sample may not truly represent the population. An assessment of the magnitude of this error would require an international collection of data. This error probably approaches zero for smaller vessels because most small vessels assisted are of U.S. ownership.

5. Other Nonsampling Errors

Particular attention was given to preventing such mistakes as transcription errors, keyboard input errors, and erroneous calculations. For example, sales prices were translated into 1982 current dollar figures by employing a single program on the Texas Instruments-59 programmable calculator (TI-59). The calculator program was confirmed in the first iteration of each conversion by manually carrying out the algebraic steps on the keyboard.

Another feature which contributed to a low nonsampling error was the selection of characteristics. All characteristics which were chosen were quantifiable or categorical, leaving room for no opinion or subjective analysis.

For example, the variables--length, gross tonnage, age, horsepower, and beam--were all measurable attributes, while the characteristic of hull material clearly fit into one of the four categories of wood, steel, fiberglass, or ferrocement. Because of the above precautions and attributes, nonsampling error from these sources is assessed as negligible.

IV. MODEL FORMULATION

A. USE OF THE STATISTICAL ANALYSIS SYSTEM (SAS)

The raw data (adjusted to 1982 dollar value) were entered into the International Business Machine (IBM) System 370, which utilized the 3033 central processing unit (CPU) located at the U.S. Naval Postgraduate School in Monterey, California. The SAS statistical package, developed by the SAS Institute, was used to conduct multiple regression analysis on the data.

B. REGRESSION ANALYSIS OF NONPETROLEUM-CARRYING VESSELS

1. Stepwise Regression

A stepwise regression procedure was initially used on all data pertaining to nonpetroleum-carrying vessels. Stepwise regression is used to determine which variables should be included in a regression model. "Stepwise is most helpful for exploratory analysis..." because it provides insight into relationships between dependent and independent variables [Ref. 23: p. 391]. However, stepwise alone does not necessarily provide the best model or even the model with the highest coefficient of determination (R^2). Because of these shortcomings, the Maximum R^2 improvement technique (MAXR), developed by Mr. James H. Goodnight, was chosen. MAXR "...is considered superior..." [Ref. 23: p. 391] to

the basic stepwise procedure. Rather than settling for a single model, it searches for the best one variable model, two variable model, etc. until the number of input variables is reached [Ref. 23: pp. 391-392]. This feature makes the stepwise procedure with the MAXR option an excellent variable selection device. In this manner, those independent variables which possessed the most significance were chosen. The level of significance of 0.85 was chosen in order for any variable to be considered. In addition, transformations of variables were tested such as:

$$Z = (\text{GRTON} \times \text{LOA}) / \text{AGE},$$

$$M = (\text{BEAM} \times \text{HP}) / \text{AGE},$$

$$G = \text{LOA} \times \text{BEAM}, \text{ and}$$

$$H = \text{GRTON} / (\text{LOA} \times \text{BEAM}).$$

The abbreviations contained in the above equations are explained in Table 2 in Chapter V. The motivation underlying the first three variables was that some values would be directly proportional to market value (e.g. gross tonnage, length, beam, and horsepower) while age would be inversely proportional to market value. The last variable is a rough estimate of weight per square foot. The original variables, along with the above transformed variables, brought the total of the independent variables to ten. However, the independent variable of hull material was not tested in the tug and merchant ship categories because all hulls were of steel construction, with the exception of one wood-hulled

tug; therefore, in these two categories only nine variables were considered.

In order to prevent multiple collinearity, the transformed variables were not tested simultaneously with the independent variables which were used to formulate those specific transformations (e.g. the variable G was not used with LOA and BEAM).

2. General Linear Model (GLM) Regression

The General Linear Model procedure has the capability of numerous analyses, such as multiple regression, simple regression, analysis of variance (ANOVA), analysis of covariance, polynomial regression, and multivariate analysis of variance (MANOVA). In addition, the GLM possesses the capability of handling categorical variables. (These will be discussed in the following section.)

The variables previously determined to be acceptable in the stepwise regression were tested in various combinations by using the GLM. Because AGE was in the denominator of some of the transformed variables, an alternative had to be chosen in cases where new vessels (i.e. AGE equals zero) were sold. The values of five-tenths and then one-tenth were substituted for zero with little noticeable difference in output when the values were switched. Single variables or groups of variables were deleted in each iteration. A plot of predicted values overlaid on a plot of actual data was used along with a plot of residual values for each

iteration in order to check further for model fit. Any variable, except age, which possessed a negative sign for its regression coefficient was discarded from the model. This is because each variable should be directly proportional to market value and should, therefore, possess a positive slope. The characteristic of age was the only variable for which a negative regression coefficient was accepted, because it should have an inverse relationship to market value.

Residual plots were used to check for violations of regression assumptions such as nonrandom sampling or heteroscedasticity. At first, some plot may appear to violate these assumptions, but the cause is mainly due to a disproportionate number of vessels in a particular spectrum of the population.

3. Categorical Variables

Categorical variables, more commonly known as dummy variables, were used to determine the relationship between hull materials and market value. Categorical variables were used only with fishing vessels and yachts. The collected data included four types of material: wood, steel, fiberglass, and ferrocement. The breakdown of the number of hull types in each vessel class is listed in Table 1.

These hull types were tested individually and in groups with the previously described variables. For example, not only were wood, steel, fiberglass, and ferrocement

TABLE 1
Number of Hull Types in Data Sample

<u>HULL TYPE</u>	<u>FISHING VESSELS</u>		<u>YACHTS</u>	
	Number	Percent	Number	Percent
Steel	4	6.6	1	1.7
Wood	42	68.8	17	28.8
Fiberglass	12	19.7	37	62.7
Ferrocement	3	4.9	4	6.8
TOTAL	61	100.0	59	100.0

tested separately along with BEAM and 3, but various combinations of two hull materials such as fiberglass and ferrocement or combinations of three hull materials such as steel, fiberglass, and ferrocement were tested along with BEAM and 2. These groups were then tested against the null hypothesis that there is no significant difference in the hull material insofar as value is concerned by using the T-test at the 0.85 confidence level. Rejecting the null hypothesis of no significant difference in the hull material would result in a separate regression coefficient for that combination.

C. REGRESSION ANALYSIS FOR PETROLEUM-CARRYING VESSELS

Regression analysis for petroleum-carrying ships was conducted by comparing deadweight tonnage as the independent variable with lightweight tonnage as the dependent variable by means of simple regression. This analysis was performed in order to predict the lightweight tonnage of a given

vessel from its deadweight tonnage, which is available in Lloyd's Register of Ships. Subsequently, that lightweight tonnage was multiplied by the current scrap value of steel. Deadweight tonnage was chosen because it is standard throughout the world, whereas gross tonnage, as previously stated, may vary according to law. A similar approach was used with petroleum-carrying barges, employing gross tonnage vice deadweight tonnage as the independent variable. Here, gross tonnage was felt to be a proper variable since barges are normally employed domestically and registered in the United States.

V. FINAL MODELS

The mathematical models contained in this chapter are the final results of the above statistical analysis. Coefficients in the models have been rounded to five significant digits. It should be remembered that these models do not include cargo or fuel but do include items of attached machinery and standard equipment such as electronics, deck machinery, and living accommodations. Therefore, the value of cargo and fuel should be added to these models before a "value of property assisted" is assigned to the SAR Assistance Report. Due to insufficient or uncorrelatable data, no equations were developed for yachts, freight barges, passenger vessels, or sailing vessels. The abbreviations used in the models are explained in Table 2.

A. NONPETROLEUM-CARRYING VESSELS

1. Merchant Ships

Based on 110 observations, the mathematical model derived for merchant ships is dependent upon the values of length overall, beam, effective horsepower, and age (See Appendices F, G, H, and I). Sample data included containerized cargo ships, bulk cargo ships, and general cargo ships. Caution should be taken in the use of this equation outside of the valid range stated below, as the negative intercept

Table 2
Abbreviations for Variables

<u>ABBREVIATION</u>	<u>DESCRIPTION</u>
CURRDOLS	Market Value in 1982 Current Dollars
GRTON	Gross Tonnage (U.S.)
LOA	Length Overall to the nearest tenth of a foot
BEAM	Breadth to the nearest tenth of a foot
HP	Effective Horsepower
AGE	Time from year built to present in years
S	Steel-Hulled Construction
W	Wood-Hulled Construction
C	Ferrocement Construction
F	Fiberglass Construction
DDWT	Deadweight Tonnage
LTWT	Lightweight Tonnage
FRTN	Categorical variable for the 14th CG District only
SVTN	Categorical variable for the 17th CG District only
AA	Categorical variable for Atlantic Area CG Districts only
PA	Categorical variable for Pacific Area CG Districts except for the 14th and 17th
P	Categorical variable which indicates premium on vessels within the 30,000 to 100,000 deadweight ton range and built after 1970

may produce a negative current dollar value for ships beyond the lower limits.

$$\text{CURRDOLS} = -19,002,000 + 45,762(\text{LOA}) + 14.062(\text{BEAM} \times \text{HP}/\text{AGE})$$

$$R^2 = .839$$

$$F = 278.68$$

$$\text{Standard Error of the Regression} = 5,269,341.6$$

Valid Range: LOA 449.0 to 892.2
 (BEAM x HP/AGE) 1,440 to 4,232,000
 BEAM 54.0 to 105.9
 HP 1,760 to 120,000
 AGE 2 to 66

2. Tugs

Based on a sample of twenty-eight observations, the mathematical model developed for tugs is dependent upon gross tonnage, length, and age as follows (See Appendices J, K, L, and M):

$$\text{CURRDOLS} = 345,150 + 193.22(\text{GRTON} \times \text{LOA}/\text{AGE})$$

$$R^2 = .940$$

$$F = 408.73$$

$$\text{Standard Error of the Regression} = 309,673.4201$$

Valid Range: GRTON x LOA/AGE 19.2 to 25,536.0
 GRTON 23 to 989
 LOA 50.0 to 138.3
 AGE 3 to 60

3. Fishing Vessels

Based on a sample of sixty-one observations, the mathematical model developed for fishing vessels is dependent upon beam, gross tonnage, length overall, age, and hull material as follows (See Appendices N, O, P, and Q):

$$\text{CURRDOLS} = -97,518 + 11,333(\text{BEAM}) + 40.914 \times \\ (\text{GRTON} \times \text{LOA}/\text{AGE}) + 62,932(\text{S})$$

NOTE: IF THE HULL MATERIAL IS STEEL, THEN $S=1$.
OTHERWISE $S=0$.

$$R^2 = .700$$

$$F = 44.43$$

$$\text{Standard Error of the Regression} = 22,919.68794$$

Valid Range:	BEAM	8.0	to	18.0
	GRTON x LOA/AGE	3.22	to	1482.00
	GRTON	6	to	48
	LOA	24.2	to	54.9
	AGE	0	to	68

4. Yachts

Based on a sample of fifty-nine observations, no dependable model could be developed for yachts. The maximum R^2 developed via the stepwise method and produced by acceptable variables was 0.537. This value was obtained by using the independent variables of age, beam, and hull material (See Appendices R and S). One explanation for the low coefficient of multiple determination is that there are numerous

varieties of pleasure craft which include custom-built craft. Many of these varieties have unique design features which are not seen on larger vessels. The unique attributes associated with such vessels may contribute significantly to the craft's market value. Therefore, an analysis of value for this category must include measures of attributes other than the six chosen for this study. It should be noted that most of the vessels within the data sample for yachts are also within the scope of the BUC data base. Therefore, BUC International Corporation serves as an alternative method of valuing these assets.

B. PETROLEUM-CARRYING VESSELS

1. Tank Ships

As previously discussed, petroleum-carrying vessels are heavily dependent upon scrap steel rates due to the economics of supply and demand. Ships sold for scrap are normally delivered in Taiwan [Refs. 10 and 24], where scrap rates are significantly higher than in the United States (e.g. \$108 vs. \$60 per ton). Thus, the higher scrap rate should be used in estimating the ship's value. Current scrap rates in Taiwan are available in such periodicals as Lloyd's Shipping Economics or Seatrade Week.

Since the cost of delivering a tanker to Taiwan is significant, it also must be considered. This cost varies from vessel to vessel depending upon such variables as the

type of power plant, the speed of advance, the number of crewmembers, the port of origin, etc. It also assumes that the ship does not terminate its service at a foreign port. However, a rough estimate for a transit from Los Angeles to Taiwan is \$400,000 and from New York to Taiwan via the Panama Canal (shortest route) is \$550,000 [Ref. 24]. These costs should be adequate estimates for the respective Atlantic Area and Pacific Area Coast Guard Districts with the exception of the Fourteenth District (Hawaii) and the Seventeenth (Alaska). Since a ship transitting to Taiwan from Hawaii would only travel two-thirds of the distance which a ship from the west coast of the United States would travel, the applicable estimate of cost would be \$266,667. The distance to Taiwan from Alaskan waters is approximately four-fifths of the distance to the Los Angeles area; therefore, the cost would be approximately \$320,000.

Another factor involved is that ships built after 1970 which are within the 30,000 to 100,000 deadweight ton range are in more demand and carry a premium of seven to nine million dollars over their scrap value. [Ref. 24]

A very good correlation exists between a tanker's deadweight tonnage and its scrapable steel or lightweight tonnage. The mathematical model for petroleum-carrying tankers based on a regression of forty-six observations and the foregoing cost and premium considerations is:

$$\text{CURRDOLS} = [5701.2 + 0.12200(\text{DDWT})] \times [\text{Taiwan Scrap Steel Rate}] + 8,000,000(\text{P}) - 550,000(\text{AA}) - 400,000(\text{PA}) - 266,667(\text{FRTN}) - 320,000(\text{SVTN})$$

NOTE: P = 1 FOR TANKERS BUILT AFTER 1970 WITHIN THE RANGE OF 30,000 TO 100,000 DEADWEIGHT TONS; OTHERWISE P = 0

AA = 1 FOR ALL ATLANTIC AREA CG DISTRICTS; OTHERWISE AA = 0

PA = 1 FOR CG DISTRICTS ELEVEN, TWELVE, AND THIRTEEN; OTHERWISE PA = 0

FRTN = 1 FOR THE FOURTEENTH CG DISTRICT ONLY

SVTN = 1 FOR THE SEVENTEENTH CG DISTRICT ONLY

$R^2 = .950$

F = 835.51

Standard Error of the Regression = 3216.12

Valid Range: DDWT 25,088 to 553,662

The constant and first term of the equation are derived in Appendices T, U, V, and W. The further terms are non-statistical adjustments based upon location of the vessel and two attributes of the vessel.

2. Tank Barges

Based on a sample of twenty-one observations, the mathematical model for petroleum-carrying tank barges is a function of the vessel's lightweight tonnage--which has been estimated as a function of gross tonnage--and the value of

domestic scrap steel. Gross tonnage and domestic scrap steel values were chosen because the majority of barges which the Coast Guard assists are U.S. registered vessels which would not be transported to Taiwan. The value of U.S. scrap steel may be located in such publications as the Wall Street Journal [Ref. 25] or the Washington Post [Ref. 26] which list scrap prices per ton for each business day (See Appendices X, Y, Z, and AA).

$CURRDOLS = [188.70 + 0.31715(GRTON)] \times [U.S. \text{ Scrap Steel Rate}]$

$R^2 = .978$

$F = 854.95$

Standard Error of the Regression = 151.285

Valid Range: GRTON 628 to 11,082

VI. ALTERNATIVES FOR IMPLEMENTING VALUE ESTIMATION

The foregoing mathematical models may be effectively used for estimating values of marine vessels. Since these models do not include such categories as yachts or pleasure craft, the BUC price guides or their computerized equivalent should be used in conjunction with the models to enable all categories of vessels to be valued.

There are three basic alternatives for implementing a value estimation process, each of which employs the above equations along with either the BUC Used Boat Price Guide (Volumes I and II) and the BUC 1982 New Boat Price Guide or the computerized version known as BUCFAX. Since no model could be developed for yachts, the BUC information is an excellent source to be used for value estimation for this category as well as other types of small boats. All alternatives will be briefly presented and then each discussed in detail.

The first alternative is to use the developed mathematical models in conjunction with the BUC price guides at the unit or SAR Mission Coordinator (SMC) level. This is consistent with the present responsibility of determining the property value in a SAR incident (i.e. the unit estimating the value in single unit cases and the SMC estimating the value in multi-unit cases).

The second alternative is to use the mathematical models in conjunction with BUCFAX in the interactive mode. This also would be accomplished by the unit or SMC, as in the first alternative, and would become feasible with the present procurement of the Coast Guard Standard Terminal.

The third alternative is to program the CG Headquarter's computer to carry out the calculations necessary in the developed mathematical models and utilize BUCFAX in the batch processing mode.

Each of the above alternatives have particular advantages and disadvantages in addition to their significant cost differentials.

A. VALUATION PROCESS WITH MODELS AND PRICE GUIDES

This alternative would require the unit responsible for determining the value of a SAR incident to calculate the fair market value of the assisted property. This would necessitate that all three volumes of the BUC price guides be procured for each unit having an operational SAR responsibility. The breakdown of such units is outlined in Appendix BB. In addition, an annual procurement of each year's New Boat Price Guide would be required. Only the cost of initial procurement and distribution is included in the cost figure for this alternative. The initial cost for supplying 521 SAR units is \$44,660.50 as calculated in Appendix CC. It should be emphasized that the cost used is a

quantity discount price available with prepaid orders only. The price does include shipping. Since the federal government does not prepay and since the largest scheduled quantity discount is for forty-seven units, perhaps negotiations would result in equal or lower prices than those listed. In addition, the shipments may be made directly to the units from BUC instead of the purchase of a bulk quantity requiring redistribution by the Coast Guard. [Ref. 27]

Another consideration is that units which are co-located could use the same price guide, thus reducing the quantity required and the cost.

The calculations of values by means of the mathematical models simply requires a hand-held calculator, which is available at most Coast Guard facilities or can be purchased with appropriated funds at a nominal cost.

The advantage of this alternative is that the person on the scene can readily determine the value of the vessel and make adjustments for materiel condition and geographic area (when the BUC price guides are utilized). Additionally, any obvious discrepancies in operator response to queries may be immediately rectified. The SAR Assistance report may then be completed without the necessity for additional paperwork being forwarded via the chain of command.

The disadvantage of this alternative is that it places added responsibility and burden on already overworked SAR personnel. Another disadvantage is that the BUC price

guides do contain some errors due to reporting discrepancies. When discovered and subsequently corrected by the BUC staff, these discrepancies cannot be promulgated until the following edition of the price guide [Ref. 28]. The price guides provide only 20 percent of the information contained in BUCFAX [Ref. 29]. Therefore, the information provided in the price guide is not always the most current or complete.

B. VALUATION PROCESS WITH MODELS AND INTERACTIVE BUCFAX

With the use of the Coast Guard Standard Terminal, all units having access to the terminal could be provided on-line capabilities with BUCFAX. The on-line system provides operator prompts in order to accomplish data entry in the proper format [Ref. 28] by minimially trained personnel. With the use of the Standard Terminal, the mathematical models could be programmed into the Headquarter's computer for calculation so that the responsible unit need only enter the independent variables.

Costs for this alternative depend on several factors which are beyond the scope of this investigation. Two of these factors are the number of terminals used and "which of the many features of BUCFAX are employed." [Ref. 29]

The advantage of this alternative is that it reduces the time involved in calculating the market value from the time required by the first alternative. As a result of its

statistical analysis, BUCFAX also has the advantage of providing estimated high, low, and most likely prices for boats not in its data base (e.g. homemade boats). Additionally, the most current information is available, as discussed under the first alternative, so that errors will be further reduced.

The disadvantage of this alternative is similar to the first alternative, in that extra work is placed on operational SAR personnel. However, having the process computerized does somewhat reduce the workload as compared with the first alternative.

C. VALUATION PROCESS WITH MODELS AND BATCH BUCFAX

The third alternative is to program the CG Headquarter's computer to calculate the results using mathematical models in conjunction with using BUCFAX in the batch mode. In this alternative, the computer would read the independent variables for those cases requiring model utilization and subsequently conduct the required operations. For those cases requiring value estimation via BUCFAX, the data would be stored on tape and physically transferred to BUC International Corporation in Fort Lauderdale after the completion of SAR data entries by the Coast Guard for the respective fiscal year. Inasmuch as the only use of the data is the annual budget development and justification, determining the value of property assisted only at the end of the fiscal

year is satisfactory. Since sufficient software exists to translate coded information, it should be noted that it is unnecessary for the Coast Guard to use in its SAR Assistance Reports the same abbreviations as BUC Corporation uses for particular vessel attributes [Ref. 28].

Like the on-line environment, the costs associated with batch processing are beyond the scope of this paper. These costs are influenced by such variables as the "quantity and format of descriptors" [Ref. 29] and would be the topic of contract negotiations. However, batch processing in any computerized system usually results in a lower total cost than does interactive processing. The difference in cost could be a strong argument for employing a batch environment.

One advantage of this alternative is that it enables the BUC staff to analyze individually any outliers which may occur in the data set. Another advantage is that the requirement of value estimation is removed from the operational personnel and placed upon administrative personnel.

The disadvantage of this method is that the estimation process is removed in both time and distance from the original incident. Thus, if any question arises as to the veracity of a particular attribute or if further investigation is required, the details may be difficult, if not impossible, to obtain.

In all three alternatives, fuel and cargo values would have to be calculated and submitted at the operational level

and added to the vessel's value subsequent to the valuation. The mechanics of this process would vary depending upon the alternative chosen. For example, if the first alternative were chosen, fuel and cargo values would be added to the vessel's value at the unit or SMC level when the SAR Assistance Report is prepared. In the last alternative, these values could be entered into the computer, summed, and then added to the aggregate vessel values after batch processing. A list of the required data to be collected for the foregoing alternatives is presented in Appendix DD.

VII. RECOMMENDATIONS AND SUMMARY

A. RECOMMENDED ALTERNATIVE

The recommended alternative is to employ the mathematical models within the Coast Guard software and use BUCFAX in the batch mode. This is the only alternative which provides for a statistical analysis of any outliers in the boat category. It also has the important advantage of requiring the least amount of effort on operational personnel. With the foreseen increase of Coast Guard SAR cases, it is the author's view that the SAR Data System should utilize these available computer capabilities to the fullest possible extent.

B. FURTHER STUDY

The use of the mathematical models in conjunction with the BUC data base will provide a valuation method for approximately 90 percent of all prosecuted SAR cases. A study should be conducted of categories of marine assets not covered herein in order to develop value estimation models. Specifically, the categories of oceanographic vessels, drilling rigs and platforms, passenger vessels, oil exploitation vessels, liquified natural gas (LNG) vessels, liquified petroleum gas (LPG) vessels, ferries, and dredges should be investigated.

More research should also be conducted in the category of fishing vessels because of the low R^2 obtained in the foregoing model and because there are many attributes unique to various types of fishing vessels which are not considered herein. For example, different rigs such as clam dredges, longliners, tuna boats, etc. have diverse equipment which could significantly affect the value of the vessel. Such a study should ascertain (1) those variables other than the ones chosen in this study that correlate to market value and (2) if significant differences exist in market values with respect to geographical region to warrant a separate mathematical model for each Coast Guard District. The recommended procedure for this analysis is a collection of data from several Marine Safety Offices in each district by means of a detailed questionnaire. This questionnaire would be completed by a vessel seller prior to transfer of vessel documentation. The proposed content of such a questionnaire is provided in Appendix EE.

C. REVISION OF VESSEL DOCUMENTATION DATA COLLECTION

Presently the Vessel Documentation Offices are collecting sales values, most of which are not the actual transfer price. Since meaningless data are being collected, it is recommended that either the Coast Guard develop guidelines in order to record only actual or "reasonable" sales prices

or eliminate the requirement on the Vessel Documentation Offices to collect such data.

D. REVISION OF EQUATIONS

The mathematical models presented in Chapter V should be updated annually by simply applying the index of shipbuilding costs to the dependent variable. In this manner, the value of property assisted will reflect the current dollar value instead of the 1982 dollar value. The process of this thesis (i.e. data collection, data organization, regression analysis, and investigation of economic effects) should be conducted periodically and the results compared with the equations contained in Chapter V in order to verify or revise the mathematical models.

E. SUMMARY

It has been shown that the fair market value of a vessel can be predicted from the vessel's characteristics. Smaller vessels, with their variety of attributes, do not correlate as well as do larger ships. The most reliable predictions are for tugs and petroleum-carrying ships and barges. Because of limited data, no models could be developed for several specialized categories of vessels which are listed in paragraph B. However, the five mathematical models which have been developed along with a commercial data base can be used to estimate approximately 90 percent of all search and rescue incidents. Further investigation

should be conducted into the arena of specialized vessels as well as shore facilities which the Coast Guard might assist in order to develop valuation techniques.

In conclusion, a vessel's fair market value can be estimated from various attributes depending upon the type of vessel. Because of the precision required in the measurement of the attributes (e.g. LOA to the nearest tenth of a foot), the SAR data base for past years cannot be studied for errors, since an insufficient number of attributes have been retained and those attributes which have been retained have been categorized (See Appendix D) and, therefore, a certain amount of information has been lost.

With the use of the mathematical models developed herein, with the use of a commercially developed data base, and with the results of further study, the Coast Guard should be able to measure accurately the aggregate value of property which it assists in search and rescue efforts so that an adequate budget may be developed and justified.

APPENDIX A **SAR INCIDENT SUMMARY**

SAR INCIDENT SUMMARY

08		OFFAG (A81)		Unit Case No. (A82)		Hurd-Unit Case No. (A83)		Date of Case Closed Notification (B01)				
								M D Y Time				
CASE DATA SECTION												
Time from Distress (B02)				Initial Severity (B03)		Date/Time of Location (B04)						
Means of Report-Logon (B05)				Actual Severity (B06)		Lives Lost (B07) BEFORE AFTER						
Nature of Incident (B08)				Cause of Incident (B09)		Lives Saved (B10)						
Distress Offshore (B11)				Owner (B12)		Persons otherwise Aboard (B13)						
Latitude (B14)				Usage (B15)		Value of Property Lost (B16)						
Longitude (B17)				Production (B18)		Value / 1000 Ls. 1000* 10; 200,000 = 2.00 Value of Property Aboard (B19) Value / 1000 Ls. 1000* 10; 200,000 = 2.00						
Method of Locating (B20)				Length (B21)								
SORTIE SUMMARY												
S O R T I E	Assistance Requested (C01)	Date / Time Underway (C02)	Distance To Search Area (C03)	Total Time On Search (C04)	Date / Time Assistance Requested Aboard (C05)	Total Time On Search (C06)	Total Time On Search (C07)	On Scene (Feet) (C08)	Wind (Knots) (C09)	Visibility (C10)	ASSISTANCE RENDERED BY CG (C11)	
											TCN	
	(C01)	(C02)	(C03)	(C04)	(C05)	(C06)	(C07)	(C08)	(C09)	(C10)	Personal	Property
1												
2												
3												
4												
5												
6												
7												
REMARKS												
Name of Assisting Unit				Registration No. (optional)				Name/Address of Owner/Source				

SAR ASSISTANCE REPORT

62

APPENDIX C **SAR INCIDENT AUXILIARY REPORT**

DEPARTMENT OF TRANSPORTATION U.S. COAST GUARD CG-4612 AUX (Rev. 8-88)		SAR INCIDENT AUXILIARY REPORT											
AUXILIARY CASE DATA SECTION													
(811) Member Number		(108) (114) Member Last Name				(129) Inmate		(130) Current CMR Descr on Assisted Vessel Yes <input type="checkbox"/> No <input type="checkbox"/>					
Lives Saved		(109) Persons otherwise Assisted				(174) Value of Property Assisted/Saved		(175-179)					
						<div style="border: 1px solid black; width: 100px; height: 20px; margin-bottom: 5px;"></div> <div style="border: 1px solid black; width: 100px; height: 20px; margin-bottom: 5px;"></div> <div style="border: 1px solid black; width: 100px; height: 20px; margin-bottom: 5px;"></div> <div style="border: 1px solid black; width: 100px; height: 20px; margin-bottom: 5px;"></div>		i.e. 0000 = \$0.000 0045 = \$45,000 0125 = \$125,000 Value / 1000					
CASE DATA SECTION													
(101) Unit Case No		(102) Longitude		(103) Length		(104)							
(105) Multi-Unit Case No		(106) Method of Locating		(107) Date/Time of Location		(108)							
(109) Date/Time of Coast Guard Notification		(110) Initial Search		(111) Lives Lost Before		(112) After		(113)					
(114) Time from Occurrence		(115) Actual Search		(116) Lives Saved		(117)							
(118) Means of Notification		(119) Cause of Incident		(120) Persons otherwise Assisted		(121)							
(122) Nature of Incident		(123) Owner		(124) Value of Property Lost		(125)							
(126) Distance Offshore		(127) Usage		(128) Value / 1000		i.e. 1500 = 2 : 250,000 = 250		(129) Value of property Assisted					
(130) Latitude		(131) Description		(132)		(133) Value / 1000		i.e. 1000 = 2 : 250,000 = 250		(134)			
SORTIE SUMMARY													
Sortie #	Assisted Person(s)	Date/Time Underway	Distance To Scene or Search Area	Total Time On Search	Date/Time Answering Requested Assistance	Total Time On Scene	Total Time On Search	Sea State (feet)	Wind (knots)	Visibility	ASSISTANCE RENDERED BY CG (IC15)		
											TCO	Property	
(IC01)	(IC02)	(IC03)	(IC04)	(IC05)	(IC06)	(IC07)	(IC08)	(IC09)	(IC10)	(IC11)	(IC12)	(IC13)	(IC14)
1													
2													
3													
REMARKS													
NAME OF ASSISTED UNIT				REGISTRATION NO. (IC000001)				NAME/ADDRESS OF OWNER/OPERATOR					

UNIT COPY

HSS-81-GPT-6306

APPENDIX D

NUMBER OF SAR CASES AND PROPERTY VALUE ASSISTED IN FY79 AND FY80

The following table illustrates the apparent lack of correlation between the number of Coast Guard SAR cases and the total value of property involved in those cases for fiscal years 1979 and 1980. Values are listed in thousands of dollars. An asterisk in the left-hand column indicates statistics which have a high probability of error. For example, there were 232 less passenger vessels assisted in the 16 to 25 foot category in FY79 than FY80; yet, the total value of the 1979 figure is almost fifteen times that of the 1980 figure. There were three tank vessels assisted in FY79 which were less than 16 feet in length; however, there is no value associated with these assets. The same is true for the reported value of vessels greater than 300 feet in the pleasure category.

Two explanations can be provided for these discrepancies. First, the error could be due simply to transcribing or key-punch errors. Second, the vessels may have been reported as having zero value since the SAR Assistance Report requires the boat's value to be rounded to the nearest \$1,000. This causes vessels of less than \$500 in value to be reported at zero.

VESSEL USAGE

<u>AND</u> <u>LENGTH</u>	<u>FISCAL YEAR 1979</u>		<u>FISCAL YEAR 1980</u>	
	<u>Cases</u>	<u>Value</u>	<u>Cases</u>	<u>Value</u>
<u>CARGO</u>				
<16'	7	45	7	46
16-25'	23	359	32	647
26-39'	17	2,607	17	526
40-65'	57	3,298	58	5,014
66-100'	70	63,503	64	19,882
101-200'	85	123,476	87	341,840
201-300'	32	68,085	20	5,902
>300'	111	566,470	72	177,259

PASSENGER

* <16'	177	11,409	214	578
* 16-25'	801	112,664	1,033	7,511
26-39'	527	229,288	547	13,962
40-65'	268	416,686	273	33,989
66-100'	47	91,541	45	11,871
101-200'	18	12,460	22	13,710
201-300'	2	250	1	900
>300'	5	30,025	2	28,000

TANKER

* <16'	3	0	0	0
16-25'	6	53	4	1
26-39'	4	83	6	109
40-65'	15	2,002	7	1,245
66-100'	10	51,280	15	62,570
101-200'	7	840	8	2,550
201-300'	9	90,825	10	4,097
>300'	49	522,699	40	450,200

VESSEL USAGE

<u>AND</u> <u>LENGTH</u>	<u>FISCAL YEAR 1979</u>		<u>FISCAL YEAR 1980</u>	
	<u>Cases</u>	<u>Value</u>	<u>Cases</u>	<u>Value</u>
<u>FISHING</u>				
<16'	129	8,457	91	192
16-25'	1,647	115,287	1,348	13,876
* 26-39'	2,804	360,982	2,430	64,085
40-65'	2,346	1,252,165	2,403	335,506
* 66-100'	1,340	1,372,502	1,223	227,583
101-200'	93	140,865	86	26,500
201-300'	7	4,060	2	1,050
>300'	1	100	2	700
<u>TOWING</u>				
<16'	6	2	7	22
16-25'	61	829	60	615
* 26-39'	65	101,824	54	830
40-65'	150	81,145	143	66,973
* 66-100'	103	82,122	103	40,728
101-200'	65	233,716	67	166,797
201-300'	7	4,828	5	19,800
>300'	7	49,117	8	69,550
<u>PLEASURE</u>				
<16'	5,675	200,607	5,535	16,134
* 16-25'	31,986	2,992,700	32,500	255,968
26-39'	12,108	2,332,319	11,973	269,527
40-65'	2,635	774,425	2,512	304,191
66-100'	131	19,411	136	22,400
* 101-200'	27	274	38	20,860
201-300'	4	3	6	30
* >300'	4	0	2	30

VESSEL USAGEAND
LENGTHFISCAL YEAR 1979
Cases ValueFISCAL YEAR 1980
Cases ValueOCEANOGRAPHIC

<16'	8	29	5	12
16-25'	35	2,278	29	243
26-39'	22	8,471	13	432
40-65'	23	3,467	16	795
66-100'	10	2,095	5	1,210
101-200'	7	2,300	6	8,500
201-300'	0	0	0	0
>300'	0	0	0	0

OTHER

<16'	163	3,179	83	104
16-25'	376	122,318	249	2,231
26-39'	179	14,618	134	2,723
40-65'	143	13,259	111	56,645
66-100'	45	3,886	37	8,615
101-200'	41	50,800	23	49,313
201-300'	17	9,300	13	60,930
>300'	11	4,800	15	26,550

APPENDIX E

INDEX OF ESTIMATED SHIPBUILDING COSTS IN THE UNITED STATES.

Index values are of 1 January for each year.

<u>YEAR</u>	<u>INDEX</u>	<u>YEAR</u>	<u>INDEX</u>
1939	100	1961	297
1940	101	1962	299
1941	105	1963	303
1942	119	1964	311
1943	127	1965	313
1944	132	1966	318
1945	135	1967	331
1946	131	1968	343
1947	158	1969	359
1948	175	1970	379
1949	189	1971	399
1950	186	1972	418
1951	198	1973	443
1952	212	1974	470
1953	222	1975	558
1954	232	1976	593
1955	238	1977	636
1956	258	1978	677
1957	270	1979	743
1958	285	1980	811
1959	292	1981	892
1960	295	1982	979

APPENDIX F RAW DATA FOR SHIPS

OBS	LCA	GRTON	BEAM	HP	AGE	HULL	CURRDOLS
1	584.1	15995	75.2	6000	32	S	21214427
2	529.1	10484	75.0	19000	11		6428617
3	466.1	9252	68.1	11000	16		4127319
4	469.1	9361	68.1	11000	15		4292411
5	497.1	17184	71.1	9900	31		9938583
6	738.1	26456	100.2	32000	3		26934882
7	662.1	17192	78.3	9900	31		8477513
8	530.1	12508	76.1	17500	14		27974966
9	531.1	11164	75.2	22500	13		5175658
10	659.1	18024	78.3	9000	31		10376079
11	486.1	10485	74.4	6000	32		1873803
12	500.1	11421	71.7	9000	32		3986990
13	555.1	13858	75.2	6000	31		1865548
14	637.1	17801	82.0	24000	8		15526973
15	636.1	16819	76.0	19250	10		13042327
16	640.1	21467	90.0	28500	3		20306408
17	525.1	13265	76.1	17500	15		6438617
18	507.1	11039	75.1	18000	10		5365514
19	562.1	11757	90.0	30000	7		12794688
20	811.1	32269	100.2	9000	2		30996164
21	497.1	10562	71.1	8500	31		3661519
22	612.1	16401	78.3	8500	35		6999933
23	639.1	18420	78.3	9000	31		10381032
24	536.1	9313	82.0	12500	10		5844283
25	892.1	41127	105.8	120000	3		6849681
26	685.1	23763	95.1	32000	3		2656021
27	687.1	24773	95.1	32000	3		42713293
28	892.1	41127	105.8	120000	4		67795337
29	571.1	11891	69.2	10000	14		6237704
30	504.1	7813	68.1	6000	33		2220497
31	500.1	10014	71.1	9000	31		8465956
32	503.1	9373	68.1	10000	32		2839995
33	860.1	40362	105.9	24000	3		24763912
34	449.1	8673	63.1	6000	3		26244975
35	607.1	14192	75.3	6000	3		3790067
36	549.1	9493	82.0	21000	7		85535295
37	501.1	11034	71.1	9000	3		1758338
38	525.1	8995	76.1	17500	3		2699946
39	490.1	9296	69.2	10000	10		3706332
40	738.1	26456	100.2	32000	3		26934882
41	487.1	9837	70.1	10600	15		4482268
42	811.1	32269	100.2	9000	2		5433502
43	612.1	16401	78.3	8500	35		6999933
44	639.1	18420	78.3	9000	31		10381032
45	536.1	9313	82.0	12500	10		5844283
46	892.1	41127	105.8	120000	3		6849681
47	685.1	23763	95.1	32000	3		2656021
48	687.1	24773	95.1	32000	3		42713293
49	892.1	41127	105.8	120000	4		67795337
50	571.1	11891	69.2	10000	14		6237704
51	504.1	7813	68.1	6000	33		2220497
52	500.1	10014	71.1	9000	31		8465956
53	503.1	9373	68.1	10000	32		2839995
54	860.1	40362	105.9	24000	3		24763912
55	449.1	8673	63.1	6000	3		26244975
56	607.1	14192	75.3	6000	3		3790067
57	549.1	9493	82.0	21000	7		85535295
58	501.1	11034	71.1	9000	3		1758338
59	525.1	8995	76.1	17500	3		2699946
60	490.1	9296	69.2	10000	10		3706332
61	738.1	26456	100.2	32000	3		26934882
62	487.1	9837	70.1	10600	15		4482268
63	811.1	32269	100.2	9000	2		5433502
64	612.1	16401	78.3	8500	35		6999933
65	639.1	18420	78.3	9000	31		10381032
66	536.1	9313	82.0	12500	10		5844283
67	892.1	41127	105.8	120000	3		6849681
68	685.1	23763	95.1	32000	3		2656021
69	687.1	24773	95.1	32000	3		42713293
70	892.1	41127	105.8	120000	4		67795337
71	571.1	11891	69.2	10000	14		6237704
72	504.1	7813	68.1	6000	33		2220497
73	500.1	10014	71.1	9000	31		8465956
74	503.1	9373	68.1	10000	32		2839995
75	860.1	40362	105.9	24000	3		24763912
76	449.1	8673	63.1	6000	3		26244975
77	607.1	14192	75.3	6000	3		3790067
78	549.1	9493	82.0	21000	7		85535295
79	501.1	11034	71.1	9000	3		1758338
80	525.1	8995	76.1	17500	3		2699946
81	490.1	9296	69.2	10000	10		3706332
82	738.1	26456	100.2	32000	3		26934882
83	487.1	9837	70.1	10600	15		4482268
84	811.1	32269	100.2	9000	2		5433502
85	612.1	16401	78.3	8500	35		6999933
86	639.1	18420	78.3	9000	31		10381032
87	536.1	9313	82.0	12500	10		5844283
88	892.1	41127	105.8	120000	3		6849681
89	685.1	23763	95.1	32000	3		2656021
90	687.1	24773	95.1	32000	3		42713293
91	892.1	41127	105.8	120000	4		67795337
92	571.1	11891	69.2	10000	14		6237704
93	504.1	7813	68.1	6000	33		2220497
94	500.1	10014	71.1	9000	31		8465956
95	503.1	9373	68.1	10000	32		2839995
96	860.1	40362	105.9	24000	3		24763912
97	449.1	8673	63.1	6000	3		26244975
98	607.1	14192	75.3	6000	3		3790067
99	549.1	9493	82.0	21000	7		85535295
100	501.1	11034	71.1	9000	3		1758338
101	525.1	8995	76.1	17500	3		2699946
102	490.1	9296	69.2	10000	10		3706332
103	738.1	26456	100.2	32000	3		26934882
104	487.1	9837	70.1	10600	15		4482268
105	811.1	32269	100.2	9000	2		5433502
106	612.1	16401	78.3	8500	35		6999933
107	639.1	18420	78.3	9000	31		10381032
108	536.1	9313	82.0	12500	10		5844283
109	892.1	41127	105.8	120000	3		6849681
110	685.1	23763	95.1	32000	3		2656021
111	687.1	24773	95.1	32000	3		42713293
112	892.1	41127	105.8	120000	4		67795337
113	571.1	11891	69.2	10000	14		6237704
114	504.1	7813	68.1	6000	33		2220497
115	500.1	10014	71.1	9000	31		8465956
116	503.1	9373	68.1	10000	32		2839995
117	860.1	40362	105.9	24000	3		24763912
118	449.1	8673	63.1	6000	3		26244975
119	607.1	14192	75.3	6000	3		3790067
120	549.1	9493	82.0	21000	7		85535295
121	501.1	11034	71.1	9000	3		1758338
122	525.1	8995	76.1	17500	3		2699946
123	490.1	9296	69.2	10000	10		3706332
124	738.1	26456	100.2	32000	3		26934882
125	487.1	9837	70.1	10600	15		4482268
126	811.1	32269	100.2	9000	2		5433502
127	612.1	16401	78.3	8500	35		6999933
128	639.1	18420	78.3	9000	31		10381032
129	536.1	9313	82.0	12500	10		5844283
130	892.1	41127	105.8	120000	3		6849681
131	685.1	23763	95.1	32000	3		2656021
132	687.1	24773	95.1	32000	3		42713293
133	892.1	41127	105.8	120000	4		67795337
134	571.1	11891	69.2	10000	14		6237704
135	504.1	7813	68.1	6000	33		2220497
136	500.1	10014	71.1	9000	31		8465956
137	503.1	9373	68.1	10000	32		2839995
138	860.1	40362	105.9	24000	3		24763912
139	449.1	8673	63.1	6000	3		26244975
140	607.1	14192	75.3	6000	3		3790067
141	549.1	9493	82.0	21000	7		85535295
142	501.1	11034	71.1	9000	3		1758338
143	525.1	8995	76.1	17500	3		2699946
144	490.1	9296	69.2	10000	10		3706332
145	738.1	26456	100.2	32000	3		26934882
146	487.1	9837	70.1	10600	15		4482268
147	811.1	32269	100.2	9000	2		5433502
148	612.1	16401	78.3	8500	35		6999933
149	639.1	18420	78.3	9000	31		10381032
150	536.1	9313	82.0	12500	10		5844283
151	892.1	41127	105.8	120000	3		6849681
152	685.1	23763	95.1	32000	3		2656021
153	687.1	24773	95.1	32000	3		42713293
154	892.1	41127	105.8	120000	4		67795337
155	571.1	11891	69.2	10000	14		6237704
156	504.1	7813	68.1	6000	33		2220497
157	500.1	10014	71.1	9000	31		8465956
158	503.1	9373	68.1	10000	32		2839995
159	860.1	40362	105.9	24000	3		24763912
160	449.1	8673	63.1	6000	3		26244975
161	607.1	14192	75.3	6000	3		3790067
162	549.1	9493	82.0	21000	7		85535295
163	501.1	11034	71.1	9000	3		1758338
164	525.1	8995	76.1	17500	3		2699946
165	490.1	9296	69.2	10000	10		3706332
166	738.1	26456	100.2	32000	3		26934

STATISTICAL ANALYSIS SYSTEM


OBS	LOA	GRTON	BEAM	HP	AGE	HULL	CURRDOLS
69	594.2	17904	78.2	17500	4	S	16641349
70	653.4	15135	92.8	30000	4	S	44619617
71	515.2	10723	76.2	12500	8	S	5596644
72	562.0	11757	90.0	30000	7	S	12794688
73	497.7	10577	77.7	9000	32	S	1436307
74	811.4	32278	100.2	32000	2	S	30996164
75	497.7	11021	77.7	9000	3	S	1386779
76	497.7	10573	77.7	9000	3	S	1436307
77	497.7	10573	77.7	9000	3	S	1436307
78	473.7	9459	66.7	10000	3	S	3844916
79	473.7	8988	66.7	10000	3	S	403651
80	630.2	12691	77.7	17500	5	S	53921
81	610.2	12691	77.7	9000	5	S	53921
82	468.8	12691	66.6	8500	5	S	41223
83	468.8	12691	66.6	8500	5	S	41223
84	584.4	12691	66.6	20000	3	S	3118602
85	584.4	12691	66.6	20000	3	S	3118602
86	584.4	12691	66.6	17500	3	S	2489905
87	584.4	12691	66.6	21000	2	S	2489905
88	584.4	12691	66.6	6000	3	S	2489905
89	584.4	12691	66.6	10000	3	S	2489905
90	584.4	12691	66.6	10000	3	S	2489905
91	584.4	12691	66.6	9000	3	S	2489905
92	584.4	12691	66.6	20000	3	S	2489905
93	584.4	12691	66.6	20000	3	S	2489905
94	584.4	12691	66.6	20000	3	S	2489905
95	584.4	12691	66.6	20000	3	S	2489905
96	584.4	12691	66.6	20000	3	S	2489905
97	584.4	12691	66.6	20000	3	S	2489905
98	584.4	12691	66.6	20000	3	S	2489905
99	584.4	12691	66.6	20000	3	S	2489905
100	584.4	12691	66.6	20000	3	S	2489905
101	584.4	12691	66.6	20000	3	S	2489905
102	584.4	12691	66.6	20000	3	S	2489905
103	584.4	12691	66.6	20000	3	S	2489905
104	584.4	12691	66.6	20000	3	S	2489905
105	584.4	12691	66.6	20000	3	S	2489905
106	584.4	12691	66.6	20000	3	S	2489905
107	584.4	12691	66.6	20000	3	S	2489905
108	584.4	12691	66.6	20000	3	S	2489905
109	584.4	12691	66.6	20000	3	S	2489905
110	584.4	12691	66.6	20000	3	S	2489905

GENERAL LINEAR MODEL FOR SHIPS

DEPENDENT VARIABLE: CURDOLLS									
	OF	SUM OF SQUARES	MEAN SQUARE	F VALUE	PR > F	TYPE III SS	F VALUE	PR > F	C.V.
MODEL	2	135457464.0378345.0	7772874241989182.0	278.60	0.0001	0.0001	0.838945	47.5424	
WARM	107	2964376451302735.0	27891372376661.1			STD DEV		CURDOLLS MEAN	
CORRECTED TOTAL	109	105301254353201100.0				5281228.4		1110040.92727273	
SOURCE	OF	TYPE III SS	F VALUE	PR > F	OF				
WARM	1	13599110292024851.9	127.70	0.0001	1	113739791624893.8	40.28	0.0001	
PARAMETER ESTIMATE	1	1500.000					119.26		
INTERCEPT	-1000.100	517764.1							
WARM	11.233	10.30							


APPENDIX H REGRESSION PLOT FOR SHIPS

STATISTICAL ANALYSIS SYSTEM 15102 MONDAY, OCTOBER 10, 1982
 PLOT OF CUMDULSPREDICT LEGEND: A - 1 OBS, B - 2 OBS, ETC.



APPENDIX I RESIDUAL PLOT FOR SHIPS

STATISTICAL ANALYSIS SYSTEM 15:02 MONDAY, OCTOBER 18, 1982
 PLOT OF RESIDUALS PREDICT LEGEND: A - 1 OBS, B - 2 OBS, ETC.



RAW DATA FOR TUGS


[illegible]

APPENDIX K

GENERAL LINEAR MODEL FOR TUGS


STATISTICAL ANALYSIS SYSTEM 10:33 MONDAY, OCTOBER 18, 1982									
GENERAL LINEAR MODELS PROCEDURE									
DEPENDENT VARIABLE: CURRENOLS									
SOURCE	DF	SUM OF SQUARES	MEAN SQUARE	F VALUE	PR > F	R-SQUARE	C.V.		
MODEL	1	391957645.81326.3200	391957645.81326.3200	400.73	0.0001	0.940192	20.4445		
ERROR	26	2493038304468.9294	95897627894.6511				CURRENOLS MEAN		
CORRECTED TOTAL	27	41659122803787.2500			390473.4201		1044623.75000000		
SOURCE	DF	TYPE I SS	F VALUE	PR > F	DF	TYPE IV SS	F VALUE	PR > F	
1	1	391957645.81326.3200	400.73	0.0001	1	391957645.81326.3200	400.73	0.0001	
PARAMETER	ESTIMATE	FOR THE PARAMETER	PR > T	STD. ERROR OF ESTIMATE					
INTERCEPT	345145.31837123		0.0001	67903.9511322					

APPENDIX L REGRESSION PLOT FOR TUGS



APPENDIX M RESIDUAL PLOT FOR TUGS

STATISTICAL ANALYSIS SYSTEM 14123 MONDAY, OCTOBER 16, 1982
 PLOT OF RESID=PREDICT LEGEND: A - 1 OBS, B - 2 OBS, ETC.



APPENDIX N

RAW DATA FOR FISHING VESSELS

STATISTICAL ANALYSIS SYSTEM							
OBS	LOA	GRTON	BEAM	HP	AGE	MULL	CURRDLS
1	24	6	8	25	0	0	49653
2	24	14	12	28	0	0	27438
3	24	18	12	18	0	0	45389
4	24	12	11	12	0	0	21691
5	24	17	11	39	0	0	50000
6	24	11	9	39	0	0	12176
7	24	9	7	25	0	0	17788
8	24	23	1	76	0	0	2764
9	24	10	1	68	0	0	23717
10	24	17	1	33	0	0	48778
11	24	6	1	21	0	0	49167
12	24	37	1	19	0	0	21082
13	24	8	1	45	0	0	43901
14	24	13	1	22	0	0	14943
15	24	11	1	45	0	0	29847
16	24	14	1	14	0	0	23717
17	24	8	1	16	0	0	2635
18	24	22	1	24	0	0	1681
19	24	10	1	22	0	0	3176
20	24	14	1	36	0	0	5057
21	24	8	1	4	0	0	9400
22	24	22	1	33	0	0	23090
23	24	17	1	16	0	0	23372
24	24	7	1	11	0	0	24222
25	24	16	1	33	0	0	25000
26	24	4	1	33	0	0	24353
27	24	7	1	4	0	0	3758
28	24	11	1	19	0	0	19900
29	24	11	1	19	0	0	19900
30	24	11	1	19	0	0	19900
31	24	11	1	19	0	0	19900
32	24	11	1	19	0	0	19900
33	24	11	1	19	0	0	19900
34	24	11	1	19	0	0	19900
35	24	11	1	19	0	0	19900
36	24	11	1	19	0	0	19900
37	24	11	1	19	0	0	19900
38	24	11	1	19	0	0	19900
39	24	11	1	19	0	0	19900
40	24	11	1	19	0	0	19900
41	24	11	1	19	0	0	19900
42	24	11	1	19	0	0	19900
43	24	11	1	19	0	0	19900
44	24	11	1	19	0	0	19900
45	24	11	1	19	0	0	19900
46	24	11	1	19	0	0	19900
47	24	11	1	19	0	0	19900
48	24	11	1	19	0	0	19900
49	24	11	1	19	0	0	19900
50	24	11	1	19	0	0	19900
51	24	11	1	19	0	0	19900
52	24	11	1	19	0	0	19900
53	24	11	1	19	0	0	19900
54	24	11	1	19	0	0	19900
55	24	11	1	19	0	0	19900
56	24	11	1	19	0	0	19900
57	24	11	1	19	0	0	19900
58	24	11	1	19	0	0	19900
59	24	11	1	19	0	0	19900
60	24	11	1	19	0	0	19900
61	24	11	1	19	0	0	19900
62	24	11	1	19	0	0	19900
63	24	11	1	19	0	0	19900
64	24	11	1	19	0	0	19900
65	24	11	1	19	0	0	19900
66	24	11	1	19	0	0	19900
67	24	11	1	19	0	0	19900
68	24	11	1	19	0	0	19900
69	24	11	1	19	0	0	19900
70	24	11	1	19	0	0	19900
71	24	11	1	19	0	0	19900
72	24	11	1	19	0	0	19900
73	24	11	1	19	0	0	19900
74	24	11	1	19	0	0	19900
75	24	11	1	19	0	0	19900
76	24	11	1	19	0	0	19900
77	24	11	1	19	0	0	19900
78	24	11	1	19	0	0	19900
79	24	11	1	19	0	0	19900
80	24	11	1	19	0	0	19900
81	24	11	1	19	0	0	19900
82	24	11	1	19	0	0	19900
83	24	11	1	19	0	0	19900
84	24	11	1	19	0	0	19900
85	24	11	1	19	0	0	19900
86	24	11	1	19	0	0	19900
87	24	11	1	19	0	0	19900
88	24	11	1	19	0	0	19900
89	24	11	1	19	0	0	19900
90	24	11	1	19	0	0	19900
91	24	11	1	19	0	0	19900
92	24	11	1	19	0	0	19900
93	24	11	1	19	0	0	19900
94	24	11	1	19	0	0	19900
95	24	11	1	19	0	0	19900
96	24	11	1	19	0	0	19900
97	24	11	1	19	0	0	19900
98	24	11	1	19	0	0	19900
99	24	11	1	19	0	0	19900
100	24	11	1	19	0	0	19900

APPENDIX O

GENERAL LINEAR MODEL FOR FISHING VESSELS

STATISTICAL ANALYSIS SYSTEM 16:00 MONDAY, OCTOBER 10, 1982


GENERAL LINEAR MODELS PROCEDURE

DEPENDENT VARIABLE: CUMMOLS									
SOURCE	DF	SUM OF SQUARES	MEAN SQUARE	F VALUE	PR > F	R-SQUARE	C.V.		
MODEL	3	70021373766.6440000	23340458588.4933333	44.43	0.0001	0.700465	62.2525		
ERROR	57	29942769430.1674950	523512095.2449044		STD DEV		CUMMOLS MEAN		
CORRECTED TOTAL	60	99964143196.2622950			22019.6879400		34817.2764892		
SOURCE		TYPE I SS	F VALUE	PR > F	DF	TYPE III SS	F VALUE	PR > F	TYPE III SS
Model	1	12345678901.2345678	12345678901.2345678	0.0001	1	12345678901.2345678	12345678901.2345678	0.0001	12345678901.2345678
Model	2	12345678901.2345678	12345678901.2345678	0.0001	1	12345678901.2345678	12345678901.2345678	0.0001	12345678901.2345678
Model	3	12345678901.2345678	12345678901.2345678	0.0001	1	12345678901.2345678	12345678901.2345678	0.0001	12345678901.2345678


APPENDIX P

REGRESSION PLOT FOR FISHING VESSELS

STATISTICAL ANALYSIS SYSTEM 10:00 MONDAY, OCTOBER 10, 1962
 PLOT OF CURRENTS-PREDICT LEGEND: A = 1 OBS, B = 2 OBS, ETC.



SYNOPSIS ANALYSIS SYSTEM 1600 MONDAY, OCTOBER 10, 1962
PLOT OF RESIDUALS PREDICT LEGEND: A = 1 OBS, B = 2 OBS, ETC.



APPENDIX R RAW DATA FOR YACHTS

STATISTICAL ANALYSIS SYSTEM						
OBS	LOA	GRTON	BEAM	HP	AGE	HULL
1	31.0	115.0	11.0	22	1	1
2	31.0	115.0	11.0	22	1	1
3	31.0	115.0	11.0	22	1	1
4	31.0	115.0	11.0	22	1	1
5	31.0	115.0	11.0	22	1	1
6	31.0	115.0	11.0	22	1	1
7	31.0	115.0	11.0	22	1	1
8	31.0	115.0	11.0	22	1	1
9	31.0	115.0	11.0	22	1	1
10	31.0	115.0	11.0	22	1	1
11	31.0	115.0	11.0	22	1	1
12	31.0	115.0	11.0	22	1	1
13	31.0	115.0	11.0	22	1	1
14	31.0	115.0	11.0	22	1	1
15	31.0	115.0	11.0	22	1	1
16	31.0	115.0	11.0	22	1	1
17	31.0	115.0	11.0	22	1	1
18	31.0	115.0	11.0	22	1	1
19	31.0	115.0	11.0	22	1	1
20	31.0	115.0	11.0	22	1	1
21	31.0	115.0	11.0	22	1	1
22	31.0	115.0	11.0	22	1	1
23	31.0	115.0	11.0	22	1	1
24	31.0	115.0	11.0	22	1	1
25	31.0	115.0	11.0	22	1	1
26	31.0	115.0	11.0	22	1	1
27	31.0	115.0	11.0	22	1	1
28	31.0	115.0	11.0	22	1	1
29	31.0	115.0	11.0	22	1	1
30	31.0	115.0	11.0	22	1	1
31	31.0	115.0	11.0	22	1	1
32	31.0	115.0	11.0	22	1	1
33	31.0	115.0	11.0	22	1	1
34	31.0	115.0	11.0	22	1	1
35	31.0	115.0	11.0	22	1	1
36	31.0	115.0	11.0	22	1	1
37	31.0	115.0	11.0	22	1	1
38	31.0	115.0	11.0	22	1	1
39	31.0	115.0	11.0	22	1	1
40	31.0	115.0	11.0	22	1	1
41	31.0	115.0	11.0	22	1	1
42	31.0	115.0	11.0	22	1	1
43	31.0	115.0	11.0	22	1	1
44	31.0	115.0	11.0	22	1	1
45	31.0	115.0	11.0	22	1	1
46	31.0	115.0	11.0	22	1	1
47	31.0	115.0	11.0	22	1	1
48	31.0	115.0	11.0	22	1	1
49	31.0	115.0	11.0	22	1	1
50	31.0	115.0	11.0	22	1	1
51	31.0	115.0	11.0	22	1	1
52	31.0	115.0	11.0	22	1	1
53	31.0	115.0	11.0	22	1	1
54	31.0	115.0	11.0	22	1	1
55	31.0	115.0	11.0	22	1	1
56	31.0	115.0	11.0	22	1	1
57	31.0	115.0	11.0	22	1	1
58	31.0	115.0	11.0	22	1	1
59	31.0	115.0	11.0	22	1	1
60	31.0	115.0	11.0	22	1	1
61	31.0	115.0	11.0	22	1	1
62	31.0	115.0	11.0	22	1	1
63	31.0	115.0	11.0	22	1	1
64	31.0	115.0	11.0	22	1	1
65	31.0	115.0	11.0	22	1	1
66	31.0	115.0	11.0	22	1	1
67	31.0	115.0	11.0	22	1	1
68	31.0	115.0	11.0	22	1	1
69	31.0	115.0	11.0	22	1	1
70	31.0	115.0	11.0	22	1	1
71	31.0	115.0	11.0	22	1	1
72	31.0	115.0	11.0	22	1	1
73	31.0	115.0	11.0	22	1	1
74	31.0	115.0	11.0	22	1	1
75	31.0	115.0	11.0	22	1	1
76	31.0	115.0	11.0	22	1	1
77	31.0	115.0	11.0	22	1	1
78	31.0	115.0	11.0	22	1	1
79	31.0	115.0	11.0	22	1	1
80	31.0	115.0	11.0	22	1	1
81	31.0	115.0	11.0	22	1	1
82	31.0	115.0	11.0	22	1	1
83	31.0	115.0	11.0	22	1	1
84	31.0	115.0	11.0	22	1	1
85	31.0	115.0	11.0	22	1	1
86	31.0	115.0	11.0	22	1	1
87	31.0	115.0	11.0	22	1	1
88	31.0	115.0	11.0	22	1	1
89	31.0	115.0	11.0	22	1	1
90	31.0	115.0	11.0	22	1	1
91	31.0	115.0	11.0	22	1	1
92	31.0	115.0	11.0	22	1	1
93	31.0	115.0	11.0	22	1	1
94	31.0	115.0	11.0	22	1	1
95	31.0	115.0	11.0	22	1	1
96	31.0	115.0	11.0	22	1	1
97	31.0	115.0	11.0	22	1	1
98	31.0	115.0	11.0	22	1	1
99	31.0	115.0	11.0	22	1	1
100	31.0	115.0	11.0	22	1	1

STEPWISE REGRESSION FOR YACHTS

STEPS 1 CONTAIN VARIABLE BEAM ENTERED

DF	SUM OF SQUARES	MEAN SQUARE
----	----------------	-------------

910575571.097469

734.56101033

ONE MODEL FOUND.

OF	SUM OF SQUARES	MEAN SQUARE
1	10.00	10.00
2	10.00	5.00
3	10.00	3.33
4	10.00	2.50
5	10.00	2.00
6	10.00	1.67
7	10.00	1.43
8	10.00	1.25
9	10.00	1.11
10	10.00	1.00
11	10.00	.91
12	10.00	.83
13	10.00	.77
14	10.00	.71
15	10.00	.67
16	10.00	.63
17	10.00	.59
18	10.00	.56
19	10.00	.53
20	10.00	.50
21	10.00	.48
22	10.00	.45
23	10.00	.43
24	10.00	.41
25	10.00	.39
26	10.00	.37
27	10.00	.35
28	10.00	.34
29	10.00	.32
30	10.00	.31
31	10.00	.30
32	10.00	.29
33	10.00	.28
34	10.00	.27
35	10.00	.26
36	10.00	.25
37	10.00	.24
38	10.00	.24
39	10.00	.23
40	10.00	.22
41	10.00	.22
42	10.00	.21
43	10.00	.21
44	10.00	.20
45	10.00	.20
46	10.00	.19
47	10.00	.19
48	10.00	.18
49	10.00	.18
50	10.00	.17
51	10.00	.17
52	10.00	.16
53	10.00	.16
54	10.00	.15
55	10.00	.15
56	10.00	.14
57	10.00	.14
58	10.00	.13
59	10.00	.13
60	10.00	.12
61	10.00	.12
62	10.00	.11
63	10.00	.11
64	10.00	.10
65	10.00	.10
66	10.00	.09
67	10.00	.09
68	10.00	.08
69	10.00	.08
70	10.00	.07
71	10.00	.07
72	10.00	.06
73	10.00	.06
74	10.00	.05
75	10.00	.05
76	10.00	.04
77	10.00	.04
78	10.00	.03
79	10.00	.03
80	10.00	.02
81	10.00	.02
82	10.00	.01
83	10.00	.01
84	10.00	.00
85	10.00	.00
86	10.00	.00
87	10.00	.00
88	10.00	.00
89	10.00	.00
90	10.00	.00
91	10.00	.00
92	10.00	.00
93	10.00	.00
94	10.00	.00
95	10.00	.00
96	10.00	.00
97	10.00	.00
98	10.00	.00
99	10.00	.00
100	10.00	.00

762919454.955151

259.6363720

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
84

R SQUARE = 0.4319277 C(P) = 15.32326340

9953552838.7089750
715580514.2849034

TYPE	STD ERROR	TYPE II SS
1	1.000	1.000
2	1.000	1.000
3	1.000	1.000
4	1.000	1.000
5	1.000	1.000
6	1.000	1.000
7	1.000	1.000
8	1.000	1.000
9	1.000	1.000
10	1.000	1.000
11	1.000	1.000
12	1.000	1.000
13	1.000	1.000
14	1.000	1.000
15	1.000	1.000
16	1.000	1.000
17	1.000	1.000
18	1.000	1.000
19	1.000	1.000
20	1.000	1.000
21	1.000	1.000
22	1.000	1.000
23	1.000	1.000
24	1.000	1.000
25	1.000	1.000
26	1.000	1.000
27	1.000	1.000
28	1.000	1.000
29	1.000	1.000
30	1.000	1.000
31	1.000	1.000
32	1.000	1.000
33	1.000	1.000
34	1.000	1.000
35	1.000	1.000
36	1.000	1.000
37	1.000	1.000
38	1.000	1.000
39	1.000	1.000
40	1.000	1.000
41	1.000	1.000
42	1.000	1.000
43	1.000	1.000
44	1.000	1.000
45	1.000	1.000
46	1.000	1.000
47	1.000	1.000
48	1.000	1.000
49	1.000	1.000
50	1.000	1.000
51	1.000	1.000
52	1.000	1.000
53	1.000	1.000
54	1.000	1.000
55	1.000	1.000
56	1.000	1.000
57	1.000	1.000
58	1.000	1.000
59	1.000	1.000
60	1.000	1.000
61	1.000	1.000
62	1.000	1.000
63	1.000	1.000
64	1.000	1.000
65	1.000	1.000
66	1.000	1.000
67	1.000	1.000
68	1.000	1.000
69	1.000	1.000
70	1.000	1.000
71	1.000	1.000
72	1.000	1.000
73	1.000	1.000
74	1.000	1.000
75	1.000	1.000
76	1.000	1.000
77	1.000	1.000
78	1.000	1.000
79	1.000	1.000
80	1.000	1.000
81	1.000	1.000
82	1.000	1.000
83	1.000	1.000
84	1.000	1.000
85	1.000	1.000
86	1.000	1.000
87	1.000	1.000
88	1.000	1.000
89	1.000	1.000
90	1.000	1.000
91	1.000	1.000
92	1.000	1.000
93	1.000	1.000
94	1.000	1.000
95	1.000	1.000
96	1.000	1.000
97	1.000	1.000
98	1.000	1.000
99	1.000	1.000
100	1.000	1.000

0007-30030607
0037-34462101
2211-4130395
16029-60306202
8593250063-902639
2246561191-818799

R SQUARE = 0.46632815
 $C(P) = 11.01615144$

32416344454.43/0100
36801042347.35894300
10805314818.145890
669109860.661072

B VALUE	SID ERROR	TYPE II SS
100	177.7422	

08/08-030/389/
1775-07363666
14211-02893280
13905-82931963
0601277440-793613
14334055077-372591

THE MODEL FLOWING.

S T A T I S T I C A L A N A L Y S I S S Y S T E M

MAXIMUM R-SQUARE IMPROVEMENT FOR DEPENDENT VARIABLE CURDDOLS

STEP 4 VARIABLE AGE ENTERED R SQUARE = 0.53705157 CIPJ = 5.00000000

	DF	SUM OF SQUARES	MEAN SQUARE	F	PROB>F
REGRESSION	4	37173413784.07333000	92933534466.0183320	15.66	0.0001
ERROR	34	32044173017.12328400	593410611.4393200		
TOTAL	38	69217586801.19661000			

	B VALUE	STD ERROR	TYPE II SS	F	PROB>F
INTERCEPT	-129487.93247040	324.42471487	4756869329.435659	8.02	0.0065
AGE	1707.53750489	2473.88919366	15657360338.918974	26.26	0.0001
BEAM	12107.53112127	13359.27621877	8101902340.438782	15.56	0.0003
W	20102.41861804	14413.68207358	7312955267.944404	12.32	0.0009

THE ABOVE MODEL IS THE BEST 4 VARIABLE MODEL FOUND.

APPENDIX T RAW DATA FOR TANK SHIPS

STATISTICAL ANALYSIS SYSTEM

OBS	DDWT	LTWT	SOURCE
1	150000	26941	CHEVRON
2	255350	33520	CHEVRON
3	701922	14877	CHEVRON
4	788722	12880	CHEVRON
5	338866	9507	CHEVRON
6	488100	13865	CHEVRON
7	399900	0597	UNION
8	704239	4631	UNION
9	267428	14993	UNION
10	333377	1004	CITIES SVC
11	228000	8200	CONOCO
12	163000	24000	CONOCO
13	410000	32800	CONOCO
14	439771	32800	CONOCO
15	268474	49999	CONOCO
16	222375	00000	CONOCO
17	111333	00000	CONOCO
18	111333	00000	CONOCO
19	111333	00000	CONOCO
20	111333	00000	CONOCO
21	111333	00000	CONOCO
22	111333	00000	CONOCO
23	111333	00000	CONOCO
24	111333	00000	CONOCO
25	111333	00000	CONOCO
26	111333	00000	CONOCO
27	111333	00000	CONOCO
28	111333	00000	CONOCO
29	111333	00000	CONOCO
30	111333	00000	CONOCO
31	111333	00000	CONOCO
32	111333	00000	CONOCO
33	111333	00000	CONOCO
34	111333	00000	CONOCO
35	111333	00000	CONOCO
36	111333	00000	CONOCO
37	111333	00000	CONOCO
38	111333	00000	CONOCO
39	111333	00000	CONOCO
40	111333	00000	CONOCO
41	111333	00000	CONOCO
42	111333	00000	CONOCO
43	111333	00000	CONOCO
44	111333	00000	CONOCO
45	111333	00000	CONOCO
46	111333	00000	CONOCO

APPENDIX U GENERAL LINEAR MODEL FOR TANK SHIPS

S T A T I S T I C A L A N A L Y S I S S Y S T E M 15:44 MONDAY, OCTOBER 10, 1982


GENERAL LINEAR MODELS PROCEDURE

DEPENDENT VARIABLE: LTNT		SUN OF SQUARES		MEAN SQUARE		F VALUE		PR > F		R-SQUARE		C.V.	
SOURCE	DF												
MODEL	1	844204652.06994300		844204652.06994300		835.51		0.0001		0.949972		14.8336	
ERROR	44	455111287.25014450		10343415.10491238				STD DEV				LTNT MEAN	
CORRECTED TOTAL	45	909715939.32008700						3214.11802720				21681.28268870	
SOURCE	DF		TYPE I SS	F VALUE	PR > F	DF	TYPE IV SS	F VALUE	PR > F				
DMT	1	844204652.06994300		835.51	0.0001	1	844204652.06994300	835.51	0.0001				
PARAMETER		ESTIMATE	FOR HUI	PR > T		STD ERROR OF ESTIMATE							
INTERCEPT		5701.7253231	PARAMETER=0	0.0001		728.3493863							
		0.2259651	28.92	0.0001		8.8023858							

APPENDIX V REGRESSION PLOT FOR TANK SHIPS


STATISTICAL ANALYSIS SYSTEM 1546 MONDAY, OCTOBER 10, 1962

PLOT OF LTHOUTOUT LEGEND: A - 1 OBS, B - 2 OBS, ETC.



APPENDIX W RESIDUAL PLOT FOR TANK SHIPS

STATISTICAL ANALYSIS SYSTEM
 PLOT OF RESIDUALS
 LEGEND: A - 1 OBS, B - 2 OBS, ETC.



APPENDIX X
RAW DATA FOR TANK BARGES

S T A T I S T I C A L A N A L Y S I S S Y S T E M

OBS	LTWT	GRTON
1	2850	7847
2	3050	9844
3	1680	3549
4	1350	907
5	1430	2680
6	3753	11082
7	485	1493
8	790	1570
9	535	851
10	1205	3146
11	605	1156
12	320	628
13	1560	4272
14	1040	2596
15	666	1713
16	556	1626
17	615	1675
18	748	1624
19	800	1922
20	1625	3248
21	2815	8123

GENERAL LINEAR MODEL FOR TANK BARGES

STATISTICAL ANALYSIS SYSTEM 15:34 MONDAY, OCTOBER 18, 1982


GENERAL LINEAR MODELS PROCEDURE

DEPENDENT VARIABLE: LTWT		SUM OF SQUARES		MEAN SQUARE	F VALUE	PR > F	R-SQUARE	C.V.
SOURCE	DF	1	19567533.54241217	19567533.54241217	854.95	0.0001	0.978240	11.6616
MODEL	1							
ERROR	19	434857.49560307	22887.24716121					LTWT MEAN
CORRECTED TOTAL	20	2002391.23609254				191.28531700		1299.52380952
SOURCE	DF	TYPE I SS	F VALUE	PR > F	DF	TYPE IV SS	F VALUE	PR > F
ERROR	1	19567533.54241217	854.95	0.0001	1	19567533.54241217	854.95	0.0001
PARAMETER	ESTIMATE	T-SQR REGO	PR > T	STD ERROR OF ESTIMATE				
INTERCEPT	109.9799437	3.23	0.0014	50.3190439				
WEIGHT	109.9799437	26.24	0.0014	50.3190439				

APPENDIX 2

REGRESSION PLOT FOR TANK BARGES


STATISTICAL ANALYSIS SYSTEM
 PLOT OF LINTOPREDICT LEGEND: A = 1 OBS, B = 2 OBS, ETC.



APPENDIX AA

RESIDUAL PLOT FOR TANK BARGES

STATISTICAL ANALYSIS SYSTEM 15:34 MONDAY, OCTOBER 10, 1982
PLOT OF RESID-PREDICT LEGEND: A - 1 OBS. B - 2 OBS. ETC.



APPENDIX BB

DISTRIBUTION LIST FOR BUC PRICE GUIDES

Cutters (except light vessels and MESSENGER)	231
Surface Effect Ships (SES)	2
Headquarters (G-OSR/3)	1
District Operations Centers	12
Sections	3
Training Center Governor's Island (SAR School)	1
Coast Guard Institute	1
Air Stations (Large)	12
Air Stations (Small)	13
Stations	158
Groups	47
Boating Safety Detachments	15
Aids to Navigation Facilities	11
Radio/Communications Stations	9
Selected Bases:	5
Saint Louis	
Gloucester City	
San Juan	
Terminal Island	
Honolulu	
TOTAL	521

APPENDIX CC
COST CALCULATIONS FOR BUC PRICE GUIDES

BUC QUANTITY DISCOUNT COSTS

<u>QUANTITY</u>	<u>USED BOAT PRICE GUIDE</u> (VOLUMES I & II)	<u>NEW BOAT PRICE GUIDE</u>
1	\$85.00	\$16.00
2-23	\$83.50	\$14.50
24-47	\$79.50	\$12.50
47+	\$77.00	\$12.50

Cost per unit supplied when purchases of greater than forty-seven are made is $\$77.00 + \$12.50 = \$89.50$.

The number of units to be supplied is 521 (from Appendix BB). Therefore, total cost is $\$89.50 \times 521 = \$44,660.50$.

It should be noted that the above costs are applicable only to prepaid orders.

APPENDIX DD
DATA TO BE COLLECTED

FOR MERCHANT SHIPS:

Length Overall

Beam

Horsepower

Age

FOR TUGS:

Gross Tonnage

Length Overall

Age

FOR FISHING VESSELS:

Beam

Gross Tonnage

Length Overall

Age

FOR TANKERS:

Deadweight Tonnage

Age

Location

FOR TANK BARGES:

Gross Tonnage


UNCLASSIFIED

DEC 82

- 212

NL

END
DATE
FILMED
C 83



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

FOR BOATS (if using price guides):

Name	Engine Manufacturer
Model	Top or Rig
Year Built	Boat Type
Manufacturer	Hull Material
Engine Horsepower	Hull Type
Engine Type	Beam
Number of Engines	Weight
Length Overall (in feet and inches)	

FOR BOATS (if using interactive or batch processing):

*Length Overall	Number of Engines
*Manufacturer	Horsepower
*Model Year	Engine Manufacturer
*Boat Type	Top or Rig
Engine Type	Engine Model Number

*Designates minimal information required

APPENDIX EE

ITEMS FOR INCLUSION IN DATA GATHERING OF FISHING VESSELS

PRIMARY CATCH

Clam	Swordfish
Lobster	Tuna
Menhadden	Whale
Oyster	Clam
Shrimp	Snapper
Snapper	Cod
Other _____	

TYPE OF GEAR

Clam Dredge	Tongs
Purse Seine	Pots
Trawl	Longlines

TYPE OF RIG

Eastern	Stern Trawler
Western	Side Trawler
Other _____	

CHARACTERISTICS

Length	Horsepower
Deadweight Tonnage	Draft
Gross Tonnage	Beam
Net Tonnage	Age
Hull Material	

ELECTRONICS

Radar	HF
Fathometer	LORAN C
VHF-FM	LORAN A
Other _____	

MISCELLANEOUS EQUIPMENT

Auxiliary Boats _____

Rafts _____

Winches _____

Capstans _____

Anchors _____

Refrigeration _____

PROPULSION

Number of Engines _____

Horsepower (total) _____

Number of screws _____

Fuel Capacity _____

Other _____

LIST OF REFERENCES

1. Davidson, Sidney; Stickney, Clyde P.; and Weil, Roman P.; Intermediate Accounting: Concepts, Methods, and Uses, 1981/82 ed. (San Francisco: The Dryden Press, 1981).
2. U.S. Maritime Administration, "Ship Valuations," Federal Register 41 no. 24, 4 January 1976.
3. U.S. Coast Guard, U.S. Code, vol. 14 (1970).
4. U.S. Coast Guard, Search and Rescue Data Systems Manual, Commandant Instruction M5230.10, 17 February, 1982.
5. U.S. Coast Guard, Computer printout from Office of Search and Rescue, Washington, D.C., 1982.
6. Telephone interview with Mr. Al Thuring, Office of Search and Rescue, U.S. Coast Guard, Washington, D.C., 24 August 1982.
7. U.S. Coast Guard, "Value of Property Assisted," Washington, D.C., 1982 (working papers).
8. Telephone interview with Mr. Brian Dorsch, Chevron Oil Company, San Francisco, California, 23 September 1982.
9. Telephone interview with Mr. Wayne Voskamp, Exxon Company, Houston, Texas, 6 May 1982.
10. U.S. Maritime Administration, "Index of Estimated Ship-building Costs in the United States" (typewritten, undated).
11. Lloyd's Register of Shipping Trust Corporation Ltd., Register of Ships, 2 vols. (Manor Royal, England: Lloyd's Register of Shipping Trust Corporation Ltd., 1965).
12. Telephone interview with Mr. Gary Kessler, Gulf Oil Corporation, 24 September 1982.
13. Merchant Marine Act, U.S. Code, vol. 46, sec. 1289 (1936).

14. Telephone interview with Mr. Jack Malkin, U.S. Maritime Administration, Washington, D.C., April 1982.
15. Telephone interview with Mr. Robert LeBlanc, U.S. Maritime Administration, Washington, D.C., April 1982.
16. U.S. Coast Guard, Merchant Vessels of the United States (CG-408), vol. 1, U.S. Government Printing Office, 1976.
17. U.S. Coast Guard, Merchant Vessels of the United States (CG-408), vol. 1, U.S. Government Printing Office, 1979.
18. Telephone interview with Mr. Walter J. Sullivan III, BUC International Corporation, Fort Lauderdale, Florida, 20 July 1982.
19. BUC International Corporation, Used Boat Price Guide 1974-1981 (Fort Lauderdale, Florida, 1982), inside front cover.
20. Mr. Walter J. Sullivan III, President, BUC International Corporation, letter to Lieutenant Thomas D. Johns, U.S. Coast Guard, Fort Lauderdale, Florida, 29 July 1982.
21. U.S. Department of Labor, Bureau of Labor Statistics, Producer Prices and Price Indexes Data for March 1982 (U.S. Government Printing Office, 1982).
22. Telephone interview with Mr. John McGowan, U.S. Maritime Administration, Office of Shipbuilding Costs, Washington, D.C., August 1982.
23. SAS Institute Inc., SAS User's Guide 1979 Edition, SAS Institute Inc., 1979.
24. Telephone interview with Mr. Asa Roberts, Gulf Oil Corporation, Houston, Texas, on 24 September 1982 and on 1 October 1982.
25. Wall Street Journal, 7 September 1982.
26. The Washington Post, 1 October 1982.
27. Telephone interview with Sales Department, BUC International Corporation, Fort Lauderdale, Florida, September, 1982.
28. Telephone interview with Mr. Walter J. Sullivan III, President, BUC International Corporation, Fort Lauderdale, Florida, 27 September 1982.

29. Mr. Walter J. Sullivan III, President, BUC International Corporation, letter to Lieutenant Thomas D. Johns, U.S. Coast Guard, Fort Lauderdale, Florida, 22 October 1982.

BIBLIOGRAPHY

Akey, Denise S., ed. Encyclopedia of Associations, 16th ed., 3 vols. Detroit: Gale Research Co., 1981.

BUC International Corporation. BUC 1982 New Boat Price Guide. Fort Lauderdale, Florida: BUC International Corporation, 1982.

Gillmer, Thomas C. Modern Ship Design. Annapolis, Maryland: U.S. Naval Institute, 1970.

Hall, Paul G., and Jessen, Raymond J. Basic Statistics for Business and Economics. 2nd ed. New York: John Wiley and Sons, 1977.

Neter, John, and Wasserman, William. Applied Linear Statistical Models. Homewood, Illinois: Richard D. Irwin, Inc., 1976.

SAS Institute Incorporated, SAS Introductory Guide. Cary N.C. SAS Institute Incorporated, 1978.

Tanur, Judith M.; Mosteller, F.; Kruskal, W. H.; Link, R. F.; Pieters, R. S.; and Rising, G. R.; eds. Statistics: A Guide to the Unknown. San Francisco: Holden-Day, Inc., 1972.

U.S. Coast Guard. Standard Distribution List (Number 115). Washington, D.C.: U.S. Government Printing Office, 1982.

INITIAL DISTRIBUTION LIST

	<u>No. Copies</u>
1. Defense Technical Information Center Cameron Station Alexandria, Virginia 22314	2
2. Library, Code 0142 Naval Postgraduate School Monterey, California 93940	2
3. Professor J. Fremgen, Code 54Fm Department of Administrative Sciences Naval Postgraduate School Monterey, California 93940	1
4. Assistant Professor D. Boger, Code 54Bk Department of Administrative Sciences Naval Postgraduate School Monterey, California 93940	1
5. Department Chairman, Code 54 Department of Administrative Sciences Naval Postgraduate School Monterey, California 93940	1
6. Commandant (G-PTE-1/TP41) U.S. Coast Guard 2100 Second Street SW Washington, D.C. 20593	2
7. Commandant (G-OSR) U.S. Coast Guard 2100 Second Street SW Washington, D.C. 20593	1
8. Commandant (G-OSR/3) U.S. Coast Guard 2100 Second Street SW Washington, D.C. 20593	1
9. Commandant (G-MVD) U.S. Coast Guard 2100 Second Street SW Washington, D.C. 20593	1

- | | | |
|-----|---|---|
| 10. | Captain T. L. Wedgewood
Commander (di)
Fifth Coast Guard District
Federal Building
431 Crawford Parkway
Portsmouth, Virginia 23705 | 1 |
| 11. | Lieutenant Thomas D. Johns
Commander (fbr)
Third Coast Guard District
Governor's Island
New York, New York 10004 | 2 |
| 12. | Mr. Asa Roberts (Room 2652)
GORAM Marine Department
Gulf Oil Corporation
2 Houston Center
Fannin and McKinney
Houston, Texas 77210 | 1 |
| 13. | Defense Logistics Studies
Information Exchange
U.S. Army Logistics Management Center
Fort Lee, Virginia 23801 | 1 |

DATE
LME
8